antibodies - online.com







BCMA Protein (AA 1-53) (Fc Tag)





Overview

Quantity:	100 μg
Target:	BCMA (TNFRSF17)
Protein Characteristics:	AA 1-53
Origin:	Cynomolgus, Rhesus Monkey
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This BCMA protein is labelled with Fc Tag.

Product Details

Purpose:	Cynomolgus/Rhesus macaque BCMA/TNFRSF17 Protein
Sequence:	Met1-Ala53
Characteristics:	Recombinant Cynomolgus/Rhesus macaque BCMA/TNFRSF17 Protein is expressed from HEK293 with hFc at the C-Terminus.It contains Met1-Ala53.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Cynomolgus BCMA, hFc Tag at 1µg/ml (100µl/well) on the plate. Dose response curve for Biotinylated Anti-BCMA Antibody, hFc Tag with the EC50 of 5.2ng/ml determined by ELISA. See testing image for detail.

Target Details

Target:	BCMA (TNFRSF17)
Alternative Name:	BCMA (TNFRSF17 Products)
Background:	B-cell maturation antigen (BCMA or BCM), also known as tumor necrosis factor receptor superfamily member 17 (TNFRSF17), is a protein that in humans is encoded by the TNFRSF17 gene.TNFRSF17 is a cell surface receptor of the TNF receptor superfamily which recognizes B-cell activating factor (BAFF).
Molecular Weight:	31.5 kDa. Due to glycosylation, the protein migrates to 35-45 kDa based on Tris-Bis PAGE result.
UniProt:	A0A2K5UD97, F7FFA0

Application Details


Restrictions: For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from $0.22\mu m$ filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months


Cynomolgus BCMA, hFc Tag ELISA

0.1µg Cynomolgus APRIL(Trimer), His Tag Per Well




ELISA

Image 1. Immobilized Cynomolgus APRIL(Trimer), His Tag at 1 μ g/mL (100 μ L/well) on the plate. Dose response curve for Cynomolgus BCMA, hFc Tag with the EC50 of 5.7 ng/mL determined by ELISA.



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Cynomolgus BCMA is greater than 95 % as determined by SEC-HPLC.



SDS-PAGE

 $\label{eq:mage_3.} \textbf{Image 3.} \ \ \text{Cynomolgus BCMA on Tris-Bis PAGE under reduced condition.} \ \ \text{The purity is greater than 95 \%} \ .$

Please check the product details page for more images. Overall 4 images are available for ABIN7273936.