

Datasheet for ABIN7273981

**BTN3A2 Protein (AA 30-248) (His-Avi Tag,Biotin)**[Go to Product page](#)**2** Images

## Overview

Quantity:	100 µg
Target:	BTN3A2
Protein Characteristics:	AA 30-248
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This BTN3A2 protein is labelled with His-Avi Tag,Biotin.

## Product Details

Purpose:	Biotinylated Human BTN3A2 Protein
Sequence:	Gln30-Trp248
Characteristics:	Recombinant Biotinylated Human BTN3A2 Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus.It contains Gln30-Trp248.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 93 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

## Target Details

Target:	BTN3A2
Alternative Name:	BTN3A2 ( <a href="#">BTN3A2 Products</a> )

## Target Details

Background:	BTN3A2/BT3.2 butyrophilin mRNA expression by tumoral cells was previously identified as a prognostic factor in a small cohort of high grade serous epithelial ovarian cancer (HG-EOC).In conclusion, BT3.2 protein is a potential prognostic biomarker for the identification of HG-EOC patients with better outcome. In contrast, high CD206 /CD68 expression is associated with high risk of disease progression.
-------------	---


Molecular Weight:	26.5 kDa. Due to glycosylation, the protein migrates to 30-38 kDa based on Tris-Bis PAGE result.
-------------------	--

## Application Details

Restrictions:	For Research Use only
---------------	-----------------------


## Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS ( pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



SDS-PAGE

**Image 1.** Biotinylated Human BTN3A2 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

**Image 2.** The purity of Biotinylated Human BTN3A2 is greater than 93 % as determined by SEC-HPLC.