antibodies -online.com





Datasheet for ABIN7273988

IBSP Protein (AA 17-324) (His tag)

Images



Overview

Quantity:	100 μg
Target:	IBSP
Protein Characteristics:	AA 17-324
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IBSP protein is labelled with His tag.

Product Details

Purpose:	Mouse BSPII Protein
Sequence:	Phe17-Gln324
Characteristics:	Recombinant Mouse BSPII Protein is expressed from HEK293 with His tag at the C-Terminus.It contains Phe17-Gln324.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

Target Details


Target:	IBSP
Alternative Name:	BSPII (IBSP Products)

Target Details

Expiry Date:


12 months

Osteopontin (OPN), bone sialoprotein (BSPII), and osteonectin (ON) belong to a family of glycoproteins, which have been linked to cancer metastasis and progression. Here, we report on the selection of antisense oligonucleotides (ASOs), which are effective in reducing their protein levels.
34.9 kDa. Due to glycosylation, the protein migrates to 68-80 kDa based on Tris-Bis PAGE result.
Q61711
For Research Use only
Lyophilized
Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
-20 °C,-80 °C
-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.



SDS-PAGE

Image 1. Mouse BSPII on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Mouse BSPII is greater than $95\,\%$ as determined by SEC-HPLC.