antibodies -online.com







BST2 Protein (AA 52-152) (Fc Tag)

Images



Overview

Quantity:	100 μg
Target:	BST2
Protein Characteristics:	AA 52-152
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This BST2 protein is labelled with Fc Tag.

Product Details


Purpose:	Mouse BST2 Protein
Sequence:	Thr52-Ser152
Characteristics:	Recombinant Mouse BST2 Protein is expressed from HEK293 with hFc tag at the N-Terminus.It contains Thr52-Ser152.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

Target Details

Target:	BST2
Alternative Name:	BST2 (BST2 Products)


Target Details

•	
Background:	Interferon-induced BST2 (bone marrow stromal cell antigen 2) inhibits viral replication by tethering enveloped virions to the cell surface to restrict viral release and by inducing the NFKB dependent antiviral immune response. BST2 expression was significantly increased during porcine epidemic diarrhea virus (PEDV) infection of Vero cells by IRF1 targeting its promoter. Both the BST2 and N protein interacted with the E3 ubiquitin ligase MARCHF8/MARCH8 and the cargo receptor.
Molecular Weight:	38.7 kDa. Due to glycosylation, the protein migrates to 48-60 kDa based on Tris-Bis PAGE resul
UniProt:	Q8R2Q8
Pathways:	Regulation of Leukocyte Mediated Immunity, Production of Molecular Mediator of Immune Response
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



SDS-PAGE

Image 1. Mouse BST2 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Mouse BST2 is greater than $95\,\%$ as determined by SEC-HPLC.