antibodies -online.com







IL2RG Protein (AA 23-254) (His tag, Biotin)





Overview

| Quantity: | 100 μg |
|-------------------------------|---|
| Target: | IL2RG |
| Protein Characteristics: | AA 23-254 |
| Origin: | Cynomolgus |
| Source: | HEK-293 Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This IL2RG protein is labelled with His tag,Biotin. |

Product Details


| Purpose: | Biotinylated Cynomolgus IL-2 R gamma/CD132 Protein (Primary Amine Labeling) |
|------------------|---|
| Sequence: | Leu23-Asn254 |
| Characteristics: | Recombinant Biotinylated Cynomolgus IL-2 R gamma/CD132 Protein (Primary Amine Labeling) is expressed from HEK293 with His tag at the C-Terminus.It contains Leu23-Asn254. |
| Purity: | > 95 % as determined by Tris-Bis PAGE |
| Sterility: | 0.22 µm filtered |
| Endotoxin Level: | Less than 1EU per μg by the LAL method. |

Target Details

| Target: | IL2RG |
|-------------------|-------------------------------|
| Alternative Name: | IL-2 R gamma (IL2RG Products) |

Target Details

| 9 | |
|---------------------|--|
| Background: | The gamma chain of the high affinity functional human IL-2 receptor complex belongs to the hematopoietin receptor family. IL-2 R gamma is a 369 amino acid residue protein consisting of a 22 residue signal sequence, a 232 residue extracellular domain, a 29 residue transmembrane domain and an 86 residue cytoplasmic domain. Although IL-2 R gamma by itself does not bind IL-2 with any appreciable affinity, it is required for IL-2 receptor signaling. |
| Molecular Weight: | 28.2 kDa. Due to glycosylation, the protein migrates to 50-70 kDa based on Tris-Bis PAGE result. |
| UniProt: | Q38JL2 |
| Pathways: | JAK-STAT Signaling, Growth Factor Binding |
| Application Details | |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Lyophilized |
| Reconstitution: | Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water. |
| Buffer: | Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization. |
| Storage: | -20 °C,-80 °C |
| Storage Comment: | -20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles. |
| Expiry Date: | 12 months |



SDS-PAGE

Image 1. Biotinylated Cynomolgus IL-2 R gamma on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .