

Datasheet for ABIN7274071

Poliovirus Receptor Protein (PVR) (AA 21-343) (Fc Tag)[Go to Product page](#)

4 Images

Overview

Quantity:	100 µg
Target:	Poliovirus Receptor (PVR)
Protein Characteristics:	AA 21-343
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Poliovirus Receptor protein is labelled with Fc Tag.

Product Details

Purpose:	Human CD155/PVR Protein
Sequence:	Trp21-Asn343
Characteristics:	Recombinant Human CD155/PVR Protein is expressed from HEK293 with hFc tag at the C-Terminus. It contains Trp21-Asn343.
Purity:	> 95 % as determined by Tris-Bis PAGE, > 95 % as determined by SEC-HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Human TIGIT, His Tag at 0.5µg/ml (100µl/Well). Dose response curve for Human CD155, hFc Tag with the EC50 of 0.18µg/ml determined by ELISA. The affinity constant of 0.958 µM as determined in SPR assay (Biacore T200). See testing image for detail.

Target Details


Target:	Poliovirus Receptor (PVR)
Alternative Name:	CD155 (PVR Products)
Background:	CD155 is a cell surface adhesion molecule functioning in tumor cell migration, invasion, and metastasis, and not surprisingly, is also designated as a common tumor-associated antigen. CD155 is also recognized by NK cells to induce their cytotoxicity. CD155 is also commonly referred to as the "poliovirus receptor," or PVR.
Molecular Weight:	61.8 kDa. Due to glycosylation, the protein migrates to 75-100 kDa based on Tris-Bis PAGE result.
Pathways:	Regulation of Leukocyte Mediated Immunity , Positive Regulation of Immune Effector Process , Cell-Cell Junction Organization , Cancer Immune Checkpoints , SARS-CoV-2 Protein Interactome

Application Details

Restrictions:	For Research Use only
---------------	-----------------------


Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



SDS-PAGE


Image 1. Human CD155 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Human CD155 is greater than 95 % as determined by SEC-HPLC.

Human CD155, hFc Tag ELISA
0.05µg Human TIGIT, His Tag Per Well



ELISA

Image 3. Immobilized Human TIGIT, His Tag at 0.5 µg/mL (100 µL/Well). Dose response curve for Human CD155, hFc Tag with the EC50 of 0.18 µg/mL determined by ELISA.

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN7274071.