

Datasheet for ABIN7274081

Poliovirus Receptor Protein (PVR) (AA 21-343) (His-Avi Tag,Biotin)[Go to Product page](#)

5 Images

Overview

Quantity:	100 µg
Target:	Poliovirus Receptor (PVR)
Protein Characteristics:	AA 21-343
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Poliovirus Receptor protein is labelled with His-Avi Tag,Biotin.

Product Details

Purpose:	Biotinylated Human CD155/PVR Protein
Sequence:	Trp21-Asn343
Characteristics:	Recombinant Biotinylated Human CD155/PVR Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus.It contains Trp21-Asn343.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Biotinylated Human CD155, His Tag at 1µg/ml (100µl/well) on the streptavidin precoated plate (5µg/ml). Dose response curve for Human TIGIT, hFc Tag with the EC50 of 4.3ng/ml determined by ELISA. See testing image for detail.

Target Details


Target:	Poliovirus Receptor (PVR)
Alternative Name:	CD155 (PVR Products)
Background:	CD155 is a cell surface adhesion molecule functioning in tumor cell migration, invasion, and metastasis, and not surprisingly, is also designated as a common tumor-associated antigen. CD155 is also recognized by NK cells to induce their cytotoxicity. CD155 is also commonly referred to as the "poliovirus receptor," or PVR.
Molecular Weight:	38 kDa. Due to glycosylation, the protein migrates to 55-70 kDa based on Tris-Bis PAGE result.
Pathways:	Regulation of Leukocyte Mediated Immunity , Positive Regulation of Immune Effector Process , Cell-Cell Junction Organization , Cancer Immune Checkpoints , SARS-CoV-2 Protein Interactome

Application Details

Restrictions:	For Research Use only
---------------	-----------------------


Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months




ELISA

Image 1. Immobilized Biotinylated Human CD155, His Tag at 5 µg/mL (100 µL/well) on the plate. Dose response curve for Human DNAM-1, hFc Tag with the EC50 of 4.8 µg/mL determined by ELISA.



SDS-PAGE

Image 2. Biotinylated Human CD155 on Tris-Bis PAGE under reduced conditions. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 3. The purity of Biotinylated Human CD155 is greater than 95 % as determined by SEC-HPLC.

Please check the [product details page](#) for more images. Overall 5 images are available for ABIN7274081.