antibodies - online.com







CD20 Protein (AA 141-188) (His-Avi Tag)





\sim					
	1//	⊃r	V/I	Θ \	Λ


Quantity:	100 μg
Target:	CD20 (MS4A1)
Protein Characteristics:	AA 141-188
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD20 protein is labelled with His-Avi Tag.

Product Details

Purpose:	Human CD20/MS4A1 Protein	
Sequence:	lle141-Ser188	
Characteristics:	Recombinant Human CD20/MS4A1 Protein is expressed from E.coli with His tag and Avi tag at the C-Terminus.It contains Ile141-Ser188.	
Purity:	> 95 % as determined by Tris-Bis PAGE	
Sterility:	0.22 μm filtered	
Endotoxin Level:	Less than 1EU per μg by the LAL method.	
Biological Activity Comment:	Immobilized Human CD20, His Tag at 1µg/ml (100µl/well) on the plate. Dose response curve for Anti-CD20 Antibody, hFc Tag with the EC50 of 0.38µg/ml determined by ELISA. See testing image for detail.	


Target Details

Target:	CD20 (MS4A1)		
Alternative Name:	CD20 (MS4A1 Products)		
Background:	B-lymphocyte antigen CD20 or CD20 is an activated-glycosylated phosphoprotein expressed on the surface of all B-cells beginning at the pro-B phase (CD45R, CD117) and progressively increasing in concentration until maturity.CD20 is the target of the monoclonal antibodies rituximab, ocrelizumab, obinutuzumab, ofatumumab, ibritumomab tiuxetan, tositumomab, and ublituximab, which are all active agents in the treatment of all B cell lymphomas, leukemias, and B cell-mediated autoimmune diseases.		
Molecular Weight:	16.8 kDa same as Tris-Bis PAGE result.		
Application Details			
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	Supplied as 0.22µm filtered solution in 20 mM PB, 10 % Glycerol, 0.4M Urea, 1 mM GSH, 0.1 mM GSSG (pH 7.0).		
Storage:	-80 °C		
Storage Comment:	Valid for 12 months from date of receipt when stored at -80°C., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.		
Expiry Date:	12 months		




SDS-PAGE

Image 1. Human CD20 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



ELISA

Image 2. Immobilized CD20, His Tag at 1 μ g/mL (100 μ L/well) on the plate. Dose response curve for Anti-CD20 Antibody, hFc Tag with the EC50 of 0.38 μ g/mL determined by ELISA.



SDS-PAGE

Image 3. Human CD20 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .

Please check the product details page for more images. Overall 4 images are available for ABIN7274102.