# antibodies - online.com





Datasheet for ABIN7274108

CD27 Protein (AA 21-192) (His tag)





$\sim$				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μg
Target:	CD27
Protein Characteristics:	AA 21-192
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD27 protein is labelled with His tag.


#### **Product Details**

Purpose:	Human CD27/TNFRSF7 Protein
Sequence:	Thr21-Ile192
Characteristics:	Recombinant Human CD27/TNFRSF7 Protein is expressed from HEK293 with His tag at the C-Terminus.It contains Thr21-Ile192.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Human CD27, His Tag at 0.5µg/ml (100µl/Well) on the plate. Dose response curve for Human CD27 Ligand, hFc Tag with the EC50 of 37.9ng/ml determined by ELISA. See testing
	image for detail.

#### **Target Details**

ranger betails		
Target:	CD27	
Alternative Name:	CD27 (CD27 Products)	
Background:	CD27, also known as TNFRSF7, is an approximately 55 kDa transmembrane protein in the TNF receptor superfamily. It functions as a co-stimulatory molecule that supports lymphocyte activation and survival. It binds to ligand CD70, and plays a key role in regulating B-cell activation and immunoglobulin synthesis.	
Molecular Weight:	18.1 kDa. Due to glycosylation, the protein migrates to 40-60 kDa based on Tris-Bis PAGE result	
UniProt:	P26842	
Pathways:	Production of Molecular Mediator of Immune Response, Cancer Immune Checkpoints	
Application Details		
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.	
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.	
Storage:	-20 °C,-80 °C	
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.	
Expiry Date:	12 months	

### Human CD27, His Tag ELISA 0.05µg Human CD27, His Tag Per Well




#### **ELISA**

**Image 1.** Immobilized Human CD27, His Tag at  $0.5\,\mu\text{g/mL}$  (100  $\mu\text{L/Well}$ ) on the plate. Dose response curve for Human CD27 Ligand, hFc Tag with the EC50 of  $37.9\,\text{ng/mL}$  determined by ELISA.

# Size-exclusion chromatography-High Pressure Liquid Chromatography

**Image 2.** The purity of Human CD27 is greater than 95 % as determined by SEC-HPLC.

## Human CD27, His Tag ELISA 0.2µg Human CD27, His Tag Per Well



#### **ELISA**

**Image 3.** Immobilized Human CD27, His Tag at  $2 \mu g/mL$  (100  $\mu L/Well$ ). Dose response curve for Human CD27 Ligand, hFc Tag with the EC50 of 27.9 ng/mL determined by ELISA.

Please check the product details page for more images. Overall 4 images are available for ABIN7274108.