antibodies -online.com





CD200R1 Protein (His-Avi Tag, Biotin)





Overview

Quantity:	100 μg
Target:	CD200R1
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD200R1 protein is labelled with His-Avi Tag,Biotin.

Product Details

Sequence:	Ala27-Leu266
Purity:	> 95% as determined by Tris-Bis PAGE,> 95% as determined by HPLC
Sterility:	0.22 μm filtered
Endotoxin Level:	Less than 1EU per μg by the LAL method.
Biological Activity Comment:	Immobilized Human CD200, hFc Tag at 5µg/ml (100µl/well) on the plate. Dose response curve
	for Biotinylated Human CD200 R1, His Tag with the EC50 of 1.2 μ g/ml determined by ELISA. See
	testing image for detail.

Target Details

Target:	CD200R1
Alternative Name:	CD200 R1 (CD200R1 Products)
Background:	CD200R, CRTR2, MOX2R, OX2R, CD200 R1, CD200 receptor 1, HCRTR2, MOX2
	receptor,CD200Fc, a chimeric molecule including the extracellular domain of CD200 and a

murine IgG2a Fc region, regulates immune responses following engagement of a cell surface
receptor, CD200R, expressed on cells of the myeloid and T cell lineage. A recent report focused
attention on a family of CD200Rs, but concluded that only one member used CD200 as its
ligand.

Molecular Weight:

29.7 kDa. Due to glycosylation, the protein migrates to 52-70 kDa based on Tris-Bis PAGE result.

Application Details

Restrictions:


For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Centrifuge tubes before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended (usually we use 1 mg/mL solution for lyophilization). Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 5 % trehalose is added as protectant before lyophilization.
Storage:	4 °C,-80 °C
Storage Comment:	Reconstituted protein stable at -80°C for 12 months, 4°C for 1 week. Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
Expiry Date:	12 months


Images

Biotinylated Human CD200 R1, His Tag ELISA 0.1µg Biotinylated Human CD200 R1, His Tag Per Well




ELISA

Image 1. Immobilized Biotinylated Human CD200 R1, His Tag at 1 μ g/mL (100 μ L/Well) on the plate. Dose response curve for Human CD200, hFc Tag with the EC50 of 10.8 ng/mL determined by ELISA.



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Biotinylated Human CD200 R1 is greater than 95 % as determined by SEC-HPLC.



SDS-PAGE

Image 3. Biotinylated Human CD200 R1 on Tris-Bis PAGE under reduced condition. The purity is greater than $95\,\%$.

Please check the product details page for more images. Overall 4 images are available for ABIN7274118.