antibodies - online.com







CD33 Protein (CD33) (AA 17-248) (His tag)

Images



Overview

| Quantity: | 100 μg |
|-------------------------------|---|
| Target: | CD33 |
| Protein Characteristics: | AA 17-248 |
| Origin: | Cynomolgus |
| Source: | HEK-293 Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This CD33 protein is labelled with His tag. |

Product Details


| Purpose: | Cynomolgus Siglec-3/CD33 Protein |
|------------------|--|
| Sequence: | Ser17-Leu248 |
| Characteristics: | Recombinant Cynomolgus Siglec-3/CD33 Protein is expressed from HEK293 with His tag at the C-Terminus.It contains Ser17-Leu248. |
| Purity: | > 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC |
| Sterility: | 0.22 µm filtered |
| Endotoxin Level: | Less than 1EU per µg by the LAL method. |

Target Details

| Target: | CD33 |
|-------------------|--------------------------|
| Alternative Name: | Siglec-3 (CD33 Products) |


Target Details

| Background: | Sialic-acid-binding immunoglobulin-like lectin (Siglec) that plays a role in mediating cell-cell interactions and in maintaining immune cells in a resting state. They are sialoadhesin/CD169/Siglec-1, CD22/Siglec-2, CD33/Siglec-3, Myelin-Associated Glycoprotein (MAG/Siglec-4a) and Siglecs 5 to 11. To date, no Siglec has been shown to recognized any cell surface ligand other than sialic acids, suggesting that interactions with glycans containing this carbohydrate are important in mediating the biological functions of Siglecs. |
|---------------------|---|
| Molecular Weight: | 26.83 kDa. Due to glycosylation, the protein migrates to 40-50 kDa based on Tris-Bis PAGE result. |
| NCBI Accession: | XP_005590138 |
| Application Details | |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Lyophilized |
| Reconstitution: | Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water. |
| Buffer: | Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization. |
| Storage: | -20 °C,-80 °C |
| Storage Comment: | -20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles. |
| Expiry Date: | 12 months |



SDS-PAGE

Image 1. Cynomolgus Siglec-3 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Cynomolgus Siglec-3 is greater than 95 % as determined by SEC-HPLC.