antibodies

# Datasheet for ABIN7274143 CD38 Protein (AA 43-300) (His-Avi Tag,Biotin)





Overview

Quantity:	100 µg
Target:	CD38
Protein Characteristics:	AA 43-300
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD38 protein is labelled with His-Avi Tag,Biotin.


## Product Details

Purpose:	Biotinylated Human CD38 Protein	
Sequence:	Val43-Ile300	
Characteristics:	Recombinant Biotinylated Human CD38 Protein is expressed from HEK293 with His tag and Av tag at the C-Terminus.It contains Val43-Ile300.	
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC	
Sterility:	0.22 µm filtered	
Endotoxin Level:	Less than 1EU per µg by the LAL method.	
Biological Activity Comment:	Immobilized Anti-CD38 Antibody, hFc Tag at 2µg/ml (100µl/Well) on the plate. Dose response curve for Biotinylated Human CD38, His Tag with the EC50 of 0.9µg/ml determined by ELISA. See testing image for detail.	


Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7274143 | 01/18/2024 | Copyright antibodies-online. All rights reserved.


### Target Details

Target:	CD38		
Abstract:	CD38 Products CD38 (cluster of differentiation 38), also known as cyclic ADP ribose hydrolase, is a transmembrane glycoprotein found on the surface of some immune cells including plasma cells, activated or immature T and B cells, monocytes, and natural killer cells. CD38 participate in cell adhesion, signal transduction and calcium signaling.		
Background:			
Molecular Weight:	32.50 kDa. Due to glycosylation, the protein migrates to 42-50 kDa based on Tris-Bis PAGE result.		
Application Details			
Restrictions:	For Research Use only		
Handling			
Format:	Lyophilized		
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL recommended. Dissolve the lyophilized protein in distilled water.		
Buffer:	Lyophilized from 0.22µm filtered solution in PBS ( pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.		
Storage:	-20 °C,-80 °C		
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.		



Biotinylated Human CD38, His Tag ELISA 0.2µg Anti-CD38 Antibody, hFc Tag Per Well





### SDS-PAGE

**Image 1.** Biotinylated Human CD38 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .

### ELISA

**Image 2.** Immobilized Anti-CD38 Antibody, hFc Tag at 2  $\mu$  g/mL (100  $\mu$ L/Well) on the plate. Dose response curve for Biotinylated Human CD38, His Tag with the EC50 of 0.9  $\mu$  g/mL determined by ELISA.

Size-exclusion	chromatography-High	Pressure	Liquid			
Chromatography						

**Image 3.** The purity of Biotinylated Human CD38 is greater than 95 % as determined by SEC-HPLC.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7274143 | 01/18/2024 | Copyright antibodies-online. All rights reserved.