

Datasheet for ABIN7274210

CD5 Protein (CD5) (AA 25-375) (His-Avi Tag,Biotin)**3** Images[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	CD5
Protein Characteristics:	AA 25-375
Origin:	Rhesus Monkey
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD5 protein is labelled with His-Avi Tag,Biotin.

Product Details

Purpose:	Biotinylated Rhesus macaque CD5 Protein
Sequence:	Arg25-Pro375
Characteristics:	Recombinant Biotinylated Rhesus macaque CD5 Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus.It contains Arg25-Pro375.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Biotinylated Rhesus macaque CD5, His Tag at 0.5µg/ml (100µl/Well) on the plate. Dose response curve for Anti-CD5 Antibody, hFc Tag with the EC50 of 16.2ng/ml determined by ELISA. See testing image for detail.

Target Details


Target:	CD5
Alternative Name:	CD5 (CD5 Products)
Background:	CD5: a type I transmembrane protein found on T cells, thymocytes, and some B cells that is a ligand for CD72 and is involved in cellular activation or adhesion, expressed in B-cell chronic lymphocytic leukemia and T-cell lymphoma.
Molecular Weight:	41.7 kDa. Due to glycosylation, the protein migrates to 55-60 kDa based on Tris-Bis PAGE result.
UniProt:	F6V5Q9

Application Details

Restrictions:	For Research Use only
---------------	-----------------------


Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



SDS-PAGE

Image 1. Biotinylated Rhesus macaque CD5 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .




Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Biotinylated Rhesus macaque CD5 is greater than 95 % as determined by SEC-HPLC.

Biotinylated Rhesus macaque CD5, His Tag ELISA

0.05µg Biotinylated Rhesus macaque CD5, His Tag Per Well



ELISA

Image 3. Immobilized Biotinylated Rhesus macaque CD5, His Tag at 0.5 µg/mL (100 µL/Well) on the plate. Dose response curve for Anti-CD5 Antibody, hFc Tag with the EC50 of 16.2 ng/mL determined by ELISA.