

Datasheet for ABIN7274234

**CD79b Protein (AA 29-159) (His-Avi Tag)****5** Images[Go to Product page](#)

## Overview

Quantity:	100 µg
Target:	CD79b (CD79B)
Protein Characteristics:	AA 29-159
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD79b protein is labelled with His-Avi Tag.

## Product Details

Purpose:	Human CD79B Protein
Sequence:	Ala29-Asp159
Characteristics:	Recombinant Human CD79B Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus. It contains Ala29-Asp159.
Purity:	> 95 % as determined by Tris-Bis PAGE
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Human CD79B, His Tag at 0.5µg/ml (100µl/Well). Dose response curve for Anti-CD79B Antibody, hFc Tag with the EC50 of 5.8ng/ml determined by ELISA. See testing image for detail.

## Target Details

Target:	CD79b (CD79B)
Alternative Name:	CD79B ( <a href="#">CD79B Products</a> )
Background:	CD79B (also known as B29, Ig beta and B cell antigen receptor complex-associated protein beta-chain) is a 36-40 kDa member of the Ig-Superfamily. It is required in cooperation with CD79A for initiation of the signal transduction cascade activated by the B-cell antigen receptor complex (BCR) which leads to internalization of the complex, trafficking to late endosomes and antigen presentation. Enhances phosphorylation of CD79A, possibly by recruiting kinases which phosphorylate CD79A or by recruiting proteins which bind to CD79A and protect it from dephosphorylation.
Molecular Weight:	18.1 kDa. Due to glycosylation, the protein migrates to 33-42 kDa based on Tris-Bis PAGE result.
Pathways:	<a href="#">BCR Signaling</a>

## Application Details


Restrictions:	For Research Use only
---------------	-----------------------

## Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS ( pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months


Human CD79B, His Tag ELISA

0.05µg Human CD79B, His Tag Per Well



ELISA

**Image 1.** Immobilized Human CD79B, His Tag at 0.5 µg/mL (100 µL/Well). Dose response curve for Anti-CD79B Antibody, hFc Tag with the EC<sub>50</sub> of 5.8 ng/mL determined by ELISA.




Size-exclusion chromatography-High Pressure Liquid Chromatography

**Image 2.** The purity of Human CD79B is greater than 95 % as determined by SEC-HPLC.

Human CD79B, His Tag ELISA

0.05µg Human CD79B, His Tag Per Well



ELISA

**Image 3.** Immobilized Human CD79B, His Tag at 0.5 µg/mL (100 µL/Well). Dose response curve for Anti-CD79b Ab., hFc Tag with the EC<sub>50</sub> of 15.3 ng/mL determined by ELISA.

Please check the [product details page](#) for more images. Overall 5 images are available for ABIN7274234.