antibodies -online.com





Datasheet for ABIN7274246

CD83 Protein (CD83) (AA 20-147) (His tag)





Overview

| Quantity: | 100 μg |
|-------------------------------|---|
| Target: | CD83 |
| Protein Characteristics: | AA 20-147 |
| Origin: | Cynomolgus |
| Source: | HEK-293 Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This CD83 protein is labelled with His tag. |

Product Details


| Purpose: | Cynomolgus CD83 Protein |
|------------------------------|--|
| Sequence: | Thr20-Glu147 |
| Characteristics: | Recombinant Cynomolgus CD83 Protein is expressed from HEK293 with His tag at the C-Terminus.It contains Thr20-Glu147. |
| Purity: | > 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC |
| Sterility: | 0.22 µm filtered |
| Endotoxin Level: | Less than 1EU per μg by the LAL method. |
| Biological Activity Comment: | Immobilized Cynomolgus CD83, His Tag at 2µg/ml (100µl/well) on the plate. Dose response curve for Biotinylated Anti- CD83 Antibody, hFc Tag with the EC50 of 14.6ng/ml determined by |
| | ELISA. See testing image for detail. |

Target Details

Expiry Date:


12 months

| rarget Details | |
|---------------------|---|
| Target: | CD83 |
| Alternative Name: | CD83 (CD83 Products) |
| Background: | CD83 is a member of the immunoglobulin (lg) superfamily and is expressed in membrane bound or soluble forms. Membrane CD83 (mCD83) can be detected on a variety of activated immune cells, although it is most highly and stably expressed by mature dendritic cells (DC). While CD83 is emerging as a promising immune modulator with therapeutic potential, some important aspects such as its ligand/s, intracellular signaling pathways and modulators of its expression are unclear. |
| Molecular Weight: | 15.43 kDa. Due to glycosylation, the protein migrates to 25-40 kDa based on Tris-Bis PAGE result. |
| UniProt: | A0A2K5US85 |
| Application Details | |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Lyophilized |
| Reconstitution: | Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water. |
| Buffer: | Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization. |
| Storage: | -20 °C,-80 °C |
| Storage Comment: | -20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles. |
| | |



SDS-PAGE


Image 1. Cynomolgus CD83 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 %.



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Cynomolgus CD83 is greater than 95 % as determined by SEC-HPLC.

Cynomolgus CD83, His Tag ELISA 0.2µg Cynomolgus CD83, His Tag Per Well



ELISA

Image 3. Immobilized Cynomolgus CD83, His Tag at $2\,\mu$ g/mL (100 μ L/well) on the plate. Dose response curve for Biotinylated Anti- CD83 Antibody, hFc Tag with the EC50 of 14.6 ng/mL determined by ELISA.