
# antibodies -online.com







#### **CD83 Protein (CD83) (AA 20-143) (His tag)**

**Images** 



#### Overview

Quantity:	100 μg
Target:	CD83
Protein Characteristics:	AA 20-143
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD83 protein is labelled with His tag.

#### **Product Details**


Purpose:	Human CD83 Protein
Sequence:	Thr20-Ala143
Characteristics:	Recombinant Human CD83 Protein is expressed from HEK293 with His tag at the C-Terminus.It contains Thr20-Ala143.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Human CD83, His Tag at 0.5µg/ml (100µl/Well) on the plate. Dose response curve for Anti-CD83 Antibody, hFc Tag with the EC50 of 2.6ng/ml determined by ELISA. See testing
	image for detail.

#### **Target Details**


rarget betails	
Target:	CD83
Alternative Name:	CD83 (CD83 Products)
Background:	CD83 is a member of the immunoglobulin (Ig) superfamily and is expressed in membrane bound or soluble forms. Membrane CD83 (mCD83) can be detected on a variety of activated immune cells, although it is most highly and stably expressed by mature dendritic cells (DC). While CD83 is emerging as a promising immune modulator with therapeutic potential, some important aspects such as its ligand/s, intracellular signaling pathways and modulators of its expression are unclear.
Molecular Weight:	15.2 kDa. Due to glycosylation, the protein migrates to 18 kDa and 25-28 kDa based on Tris-Bis PAGE result.
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from $0.22\mu m$ filtered solution in PBS ( pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months

#### Human CD83, His Tag ELISA

0.05µg Human CD83, His Tag Per Well



#### Log Anti-CD83 Antibody, hFc Tag Conc.(µg/ml)



## 4-3-2-1-

#### **ELISA**

**Image 1.** Immobilized Human CD83, His Tag at  $0.5\,\mu\text{g/mL}$  (100  $\mu\text{L/Well}$ ) on the plate. Dose response curve for Anti-CD83 Antibody, hFc Tag with the EC50 of  $2.6\,\text{ng/mL}$  determined by ELISA.

#### **SDS-PAGE**

**Image 2.** Human CD83 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

### Size-exclusion chromatography-High Pressure Liquid Chromatography

**Image 3.** The purity of Human CD83 is greater than 95 % as determined by SEC-HPLC.