
antibodies - online.com







LI Cadherin Protein (AA 23-787) (Fc Tag)

Images



Overview

Quantity:	100 μg
Target:	LI Cadherin
Protein Characteristics:	AA 23-787
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This LI Cadherin protein is labelled with Fc Tag.

Product Details

Purpose:	Human CDH17/Cadherin 17 Protein
Sequence:	Gln23-Met787
Characteristics:	Recombinant Human CDH17/Cadherin 17 Protein is expressed from HEK293 with hFc tag at the C-Terminus.It contains Gln23-Met787.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 μm filtered
Endotoxin Level:	Less than 1EU per μg by the LAL method.
Biological Activity Comment:	Immobilized Human CDH17, hFc Tag at 0.5µg/ml (100µl/well) on the plate. Dose response curve for Biotinylated Anti-CDH17 Antibody, hFc Tag with the EC50 of 14.8ng/ml determined by ELISA. See testing image for detail.


Target Details

. al get 2 etalle		
Target:	LI Cadherin	
Alternative Name:	CDH17 (LI Cadherin Products)	
Background:	Liver-intestine cadherin (CDH17) has been known to function as a tumor stimulator and diagnostic marker for almost two decades. In vivo studies showed CDH17 knockout resulted in apoptotic PC tumor death through activating caspase-3 activity. Taken together, CDH17 functions as an oncogenic molecule critical to PC growth by regulating tumor apoptosis signaling pathways and CDH17 could be targeted to develop an anti-PC therapeutic approach.	
Molecular Weight:	111.73 kDa. Due to glycosylation, the protein migrates to 113-135 kDa based on Tris-Bis PAGE result.	
UniProt:	Q12864	
Application Details		
Restrictions:	For Research Use only	

Restrictions:	For Research Use only	
---------------	-----------------------	--

Handling


Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



Size-exclusion chromatography-High Pressure Liquid Chromatography


 $\label{eq:mage 1.} \textbf{Image 1.} \ \textbf{The purity of Human CDH17} \ \textbf{is greater than 95 \%} \\ \textbf{as determined by SEC-HPLC}.$

Human CDH17, hFc Tag ELISA 0.05μg Human CDH17, hFc Tag Per Well



ELISA

Image 2. Immobilized Human CDH17, hFc Tag at $0.5 \,\mu\text{g/mL}$ (100 $\,\mu\text{L/well}$) on the plate. Dose response curve for Biotinylated Anti-CDH17 Antibody, hFc Tag with the EC50 of 14.8 ng/mL determined by ELISA.



SDS-PAGE

Image 3. Human CDH17 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .