antibodies

Datasheet for ABIN7274334 Adipsin Protein (AA 26-253) (His tag)

3 Images



Overview

Quantity:	100 µg
Target:	Adipsin (CFD)
Protein Characteristics:	AA 26-253
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Adipsin protein is labelled with His tag.


Product Details

Purpose:	Human Complement Factor D/CFD Protein
Sequence:	lle26-Ala253
Characteristics:	Recombinant Human Complement Factor D/CFD Protein is expressed from HEK293 with His tag at the C-Terminus.It contains Ile26-Ala253.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per μ g by the LAL method.
Biological Activity Comment:	Immobilized Human Complement Factor D, His Tag at 1µg/ml (100µl/Well) on the plate. Dose response curve for Anti-Complement Factor D Antibody, hFc Tag with the EC50 of 16ng/ml determined by ELISA. See testing image for detail.


Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7274334 | 01/18/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Target:	Adipsin (CFD)
Alternative Name:	Complement Factor D (CFD Products)
Background:	Complement factor D is a serine protease essential for the activation of the alternative pathway and is expressed in the kidney, adipocytes, and macrophages. Factor D is found at relatively high levels in glomeruli suggesting that this component of the complement cascade could influence renal pathophysiology.Complement factor D or alternative pathway activation is needed to prevent spontaneous accumulation of C3 and IgM deposits within the mesangium.
Molecular Weight:	25.5 kDa. Due to glycosylation, the protein migrates to 26-27 kDa based on Tris-Bis PAGE result.
Pathways:	Complement System
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7274334 | 01/18/2024 | Copyright antibodies-online. All rights reserved.







Log Anti-Complement Factor D Antibody, hFc Tag Conc.(µg/ml)

SDS-PAGE

Image 1. Human Complement Factor D on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .

Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Human Complement Factor D is greater than 95 % as determined by SEC-HPLC.

ELISA

Image 3. Immobilized Human Complement Factor D, His Tag at $1 \,\mu\text{g/mL}$ (100 $\mu\text{L/Well}$) on the plate. Dose response curve for Anti-Complement Factor D Antibody, hFc Tag with the EC50 of 16 ng/mL determined by ELISA.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7274334 | 01/18/2024 | Copyright antibodies-online. All rights reserved.