

Datasheet for ABIN7274387

SARS-CoV-2 Spike Protein (E484K, K417N, N501Y, RBD) (His tag)



[Go to Product page](#)

4 Images

Overview

Quantity:	100 µg
Target:	SARS-CoV-2 Spike
Protein Characteristics:	E484K, K417N, N501Y, RBD
Origin:	SARS Coronavirus-2 (SARS-CoV-2)
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SARS-CoV-2 Spike protein is labelled with His tag.

Product Details

Purpose:	SARS-COV-2 Spike RBD (N501Y,K417N,E484K) Protein
Sequence:	Arg319-Phe541 (N501Y,K417N,E484K)
Characteristics:	Recombinant SARS-COV-2 Spike RBD (N501Y,K417N,E484K) Protein is expressed from HEK293 with His tag at the C-Terminus.It contains Arg319-Phe541(N501Y,K417N,E484K).
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized SARS-COV-2 Spike RBD (N501Y,K417N,E484K) , His Tag at 0.5µg/ml (100ul/Well) on the plate. Dose response curve for Human ACE2, hFc Tag with the EC50 of 23.3ng/ml determined by ELISA. See testing image for detail.

Target Details


Target:	SARS-CoV-2 Spike
Abstract:	SARS-CoV-2 Spike Products
Target Type:	Viral Protein
Background:	The spike protein (S) of coronavirus (CoV) attaches the virus to its cellular receptor, angiotensin-converting enzyme 2 (ACE2). A defined receptor-binding domain (RBD) on S mediates this interaction. The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.
Molecular Weight:	26.2 kDa. Due to glycosylation, the protein migrates to 30-40 kDa based on Tris-Bis PAGE result.

Application Details

Restrictions:	For Research Use only
---------------	-----------------------


Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



SDS-PAGE

Image 1. SARS-COV-2 Spike RBD (N501Y,K417N,E484K) on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .




Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of SARS-COV-2 Spike RBD (N501Y,K417N,E484K) is greater than 95 % as determined by SEC-HPLC.

SARS-COV-2 Spike RBD (N501Y,K417N,E484K), His Tag ELISA

0.05µg SARS-COV-2 Spike RBD (N501Y,K417N,E484K), His Tag Per Well



ELISA

Image 3. Immobilized SARS-COV-2 Spike RBD (N501Y,K417N,E484K), His Tag at 0.5 µg/mL (100 µL/Well) on the plate. Dose response curve for Human ACE2, hFc Tag with the EC50 of 0.02 µg/mL determined by ELISA.

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN7274387.