

Datasheet for ABIN7274396

SARS-CoV-2 Spike S1 Protein (AA 16-685) (Fc Tag)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µg
Target:	SARS-CoV-2 Spike S1
Protein Characteristics:	AA 16-685
Origin:	SARS Coronavirus-2 (SARS-CoV-2)
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SARS-CoV-2 Spike S1 protein is labelled with Fc Tag.

Product Details

Purpose:	SARS-COV-2 Spike S1 Protein
Sequence:	Val16-Arg685
Characteristics:	Recombinant SARS-COV-2 Spike S1 Protein is expressed from HEK293 with hFc tag at the C-Terminus. It contains Val16-Arg685.
Purity:	> 95 % as determined by Tris-Bis PAGE, > 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

Target Details

Target:	SARS-CoV-2 Spike S1
Abstract:	SARS-CoV-2 Spike S1 Products

Target Details

Target Type:	Viral Protein
Background:	The spike protein (S) of coronavirus (CoV) attaches the virus to its cellular receptor, angiotensin-converting enzyme 2 (ACE2). A defined receptor-binding domain (RBD) on S mediates this interaction. The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.
Molecular Weight:	101.6 kDa. Due to glycosylation, the protein migrates to 115-130 kDa based on Tris-Bis PAGE result.


Application Details

Restrictions:	For Research Use only
---------------	-----------------------

Handling


Format:	Liquid
Buffer:	Supplied as 0.22µm filtered solution in PBS (pH 7.4).
Storage:	-80 °C
Storage Comment:	Valid for 12 months from date of receipt when stored at -80°C., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months

Images



SDS-PAGE

Image 1. SARS-COV-2 Spike S1 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of SARS-COV-2 Spike S1 is greater than 95 % as determined by SEC-HPLC.