

Datasheet for ABIN7274409

SARS-CoV-2 Spike S1 Protein (Fc-Avi Tag)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µg
Target:	SARS-CoV-2 Spike S1
Origin:	SARS Coronavirus-2 (SARS-CoV-2)
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SARS-CoV-2 Spike S1 protein is labelled with Fc-Avi Tag.

Product Details

Purpose:	SARS-COV-2 Spike S1 Protein
Sequence:	Gln14-Arg683
Characteristics:	Recombinant SARS-COV-2 Spike S1 Protein is expressed from HEK293 with hFc tag and Avi tag at the C-Terminus. It contains Gln14-Arg683.
Purity:	> 95 % as determined by Tris-Bis PAGE, > 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

Target Details

Target:	SARS-CoV-2 Spike S1
Abstract:	SARS-CoV-2 Spike S1 Products
Background:	The spike protein (S) of coronavirus (CoV) attaches the virus to its cellular receptor,

Target Details

angiotensin-converting enzyme 2 (ACE2). A defined receptor-binding domain (RBD) on S mediates this interaction. The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.

Molecular Weight: 102.6 kDa. Due to glycosylation, the protein migrates to 130-140 kDa based on Tris-Bis PAGE result.

Application Details

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.


Buffer: Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.

Storage: -20 °C,-80 °C

Storage Comment: -20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.


Expiry Date: 12 months

Images



SDS-PAGE

Image 1. SARS-COV-2 Spike S1 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of SARS-COV-2 Spike S1 is greater than 95 % as determined by SEC-HPLC.