antibodies.com

# Datasheet for ABIN7274430 CSF1R Protein (AA 20-511) (His tag)

2 Images



### Overview

Quantity:	100 µg
Target:	CSF1R
Protein Characteristics:	AA 20-511
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CSF1R protein is labelled with His tag.


## Product Details

Purpose:	Mouse M-CSF R/CSF1R/CD115 Protein
Sequence:	Ala20-Ser511
Characteristics:	Recombinant Mouse M-CSF R/CSF1R/CD115 Protein is expressed from HEK293 with His tag at the C-Terminus.It contains Ala20-Ser511.
Purity:	> 95 % as determined by Tris-Bis PAGE
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per $\mu$ g by the LAL method.
Biological Activity Comment:	The affinity constant of 419 nM as determined in SPR assay (Biacore T200). See testing image for detail.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7274430 | 01/18/2024 | Copyright antibodies-online. All rights reserved.


### Target Details

Target:	CSF1R
Alternative Name:	M-CSF R (CSF1R Products)
Background:	CSF1R also known as M-CSF receptor, the product of the c-fms proto-oncogene, is a member
	of the type III subfamily of receptor tyrosine kinases that also includes receptors for SCF and
	PDGF. These receptors each contain five immunoglobulin-like domains in their extracellular
	domain (ECD) and a split kinase domain in their intracellular region.CSF1R is tyrosine-protein
	kinase that acts as cell-surface receptor for CSF1 and IL34 and plays an essential role in the
	regulation of survival, proliferation and differentiation of hematopoietic precursor cells,
	especially mononuclear phagocytes, such as macrophages and monocytes.
Molecular Weight:	56.3 kDa. Due to glycosylation, the protein migrates to 76-82 kDa based on Tris-Bis PAGE result
UniProt:	P09581
Pathways:	RTK Signaling, Inositol Metabolic Process, Cell-Cell Junction Organization
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu\text{g}/\text{mL}$ is
	recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS ( pH 7.4). Normally 8 % trehalose is added as
	protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after
	reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into
	smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



### SDS-PAGE

**Image 1.** Mouse M-CSF R/CSF1R/CD115 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



#### **Surface Plasmon Resonance**

**Image 2.** Human M-CSF, no tag immobilized on CM5 Chip can bind Mouse M-CSF R, his tag with an affinity constant of 419 nM as determined in SPR assay (Biacore T200).

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7274430 | 01/18/2024 | Copyright antibodies-online. All rights reserved.