# antibodies - online.com







#### CTLA4 Protein (AA 36-161) (His tag)



#### **Images**



0	1 /	-	K	/1	-	1 A
u	\/	$\vdash$	I \	/ I	$\vdash$	1/1

Quantity:	100 μg
Target:	CTLA4
Protein Characteristics:	AA 36-161
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CTLA4 protein is labelled with His tag.

#### **Product Details**

Purpose:	Human CTLA-4/CD152 Protein
Sequence:	Lys36-Asp161
Characteristics:	Recombinant Human CTLA-4/CD152 Protein is expressed from HEK293 with His tag at the C-Terminus.It contains Lys36-Asp161.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Human CTLA-4, His Tag at 0.5µg/ml (100µl/Well) on the plate. Dose response curve for Anti-CTLA-4 Antibody, hFc Tag with the EC50 of 20.1ng/ml determined by ELISA. See testing image for detail.

#### **Target Details**

Target:	CTLA4
Alternative Name:	CTLA-4 (CTLA4 Products)
Background:	CTLA-4 (cytotoxic T-lymphocyte-associated protein 4), also known as CD152, is a protein receptor that, functioning as an immune checkpoint, downregulates immune responses.CTLA4 is constitutively expressed in regulatory T cells but only upregulated in conventional T cells after activation - a phenomenon which is particularly notable in cancers. It acts as an "off" switch when bound to CD80 or CD86 on the surface of antigen-presenting cells.
Molecular Weight:	14.3 kDa. Due to glycosylation, the protein migrates to 28-35 kDa based on Tris-Bis PAGE result.
Pathways:	Cancer Immune Checkpoints


#### **Application Details**

Restrictions: For Research Use only

#### Handling


Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months

### Human CTLA-4, His Tag ELISA 0.05µg Human B7-1, hFc Tag Per Well




#### **ELISA**

**Image 1.** Immobilized Human B7-1, hFc Tag at  $0.5 \,\mu\text{g/mL}$  (100  $\,\mu\text{L/Well}$ ) on the plate. Dose response curve for Human CTLA-4, His Tag with the EC50 of 66 ng/mL determined by ELISA.



## Size-exclusion chromatography-High Pressure Liquid Chromatography

**Image 2.** The purity of Human CTLA-4 is greater than 95 % as determined by SEC-HPLC.



#### **SDS-PAGE**

Image 3. Human CTLA-4 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % ..

Please check the product details page for more images. Overall 5 images are available for ABIN7274435.