

Datasheet for ABIN7274458

SARS-CoV-2 Spike Protein (B.1.617.2 - delta, RBD) (His tag)[Go to Product page](#)**3** Images

Overview

Quantity:	100 µg
Target:	SARS-CoV-2 Spike
Protein Characteristics:	B.1.617.2 - delta, RBD
Origin:	SARS Coronavirus-2 (SARS-CoV-2)
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SARS-CoV-2 Spike protein is labelled with His tag.

Product Details

Purpose:	SARS-COV-2 Spike RBD (Delta B.1.617.2) Protein
Sequence:	Arg319-Phe541 (L452R, T478K)
Characteristics:	Recombinant SARS-COV-2 Spike RBD (Delta B.1.617.2) Protein is expressed from HEK293 with His tag at the C-Terminus. It contains Arg319-Phe541(L452R, T478K).
Purity:	> 95 % as determined by Tris-Bis PAGE, > 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized SARS-CoV-2 Spike RBD (Delta B.1.617.2) , His Tag at 1µg/ml (100µl/well) on the plate. Dose response curve for Human ACE2, hFc Tag with the EC50 of 9.8ng/ml determined by ELISA. See testing image for detail.

Target Details

Target: SARS-CoV-2 Spike

Abstract: [SARS-CoV-2 Spike Products](#)

Target Type: Viral Protein

Background: The ongoing coronavirus disease 2019 (COVID-19) pandemic has prioritized the development of small-animal models for severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2). The resulting mouse-adapted strain at passage 6 (called MASCP6) showed increased infectivity in mouse lung and led to interstitial pneumonia and inflammatory responses in both young and aged mice after intranasal inoculation. Deep sequencing revealed a panel of adaptive mutations potentially associated with the increased virulence. In particular, the N501Y mutation is located at the receptor binding domain (RBD) of the spike protein.

Molecular Weight: 26.26 kDa. Due to glycosylation, the protein migrates to 35-40 kDa based on Tris-Bis PAGE result.

Application Details

Restrictions: For Research Use only

Handling

Format: Lyophilized


Reconstitution: Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.

Buffer: Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.

Storage: -20 °C,-80 °C

Storage Comment: -20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.


Expiry Date: 12 months



SDS-PAGE


Image 1. SARS-COV-2 Spike RBD (Delta B.1.617.2) on Tris-Bis PAGE under reduced condition. The purity is greater than 95 %.

SARS-CoV-2 Spike RBD (Delta B.1.617.2), His Tag ELISA
0.1µg SARS-CoV-2 Spike RBD (Delta B.1.617.2), His Tag Per Well



ELISA

Image 2. Immobilized SARS-CoV-2 Spike RBD (Delta B.1.617.2), His Tag at 1 µg/mL (100 µL/well) on the plate. Dose response curve for Human ACE2, hFc Tag with the EC50 of 9.8 ng/mL determined by ELISA.



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 3. The purity of SARS-COV-2 Spike RBD (Delta B.1.617.2) is greater than 95 % as determined by SEC-HPLC.