antibodies -online.com







DLK1 Protein (AA 24-306) (His tag)

Images



Overview

Quantity:	100 μg
Target:	DLK1
Protein Characteristics:	AA 24-306
Origin:	Cynomolgus
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This DLK1 protein is labelled with His tag.

Product Details

Purpose:	Cynomolgus DLK1 Protein
Sequence:	Ala24-Cys306
Characteristics:	Recombinant Cynomolgus DLK1 Protein is expressed from HEK293 with His tag at the C-Terminus.It contains Ala24-Cys306.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

Target Details


Target:	DLK1
Alternative Name:	DLK1 (DLK1 Products)

Target Details

Expiry Date:


12 months

Datamally inhavitad acception defeats of DLV1 years identified in form formillar with response durantic
Paternally inherited genetic defects of DLK1 were identified in four families with nonsyndromic CPP and a metabolic phenotype. DLK1 encodes a transmembrane protein that is important for adipose tissue homeostasis and neurogenesis and is located in the imprinted chromosome 14q32 region associated with Temple syndrome.
31.26 kDa. Due to glycosylation, the protein migrates to 42-52 kDa based on Tris-Bis PAGE result.
XP_005562275
For Research Use only
Lyophilized
Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
-20 °C,-80 °C
-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into



SDS-PAGE

Image 1. Cynomolgus DLK1 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Cynomolgus DLK1 is greater than 95 % as determined by SEC-HPLC.