antibodies.com

## Datasheet for ABIN7274477 DLK1 Protein (AA 24-303) (His tag)

2 Images



#### Overview

Quantity:	100 µg
Target:	DLK1
Protein Characteristics:	AA 24-303
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This DLK1 protein is labelled with His tag.

### Product Details


Purpose:	Human DLK1 Protein
Sequence:	Ala24-Gln303
Characteristics:	Recombinant Human DLK1 Protein is expressed from HEK293 with His tag at the C-Terminus.It contains Ala24-Gln303.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per $\mu g$ by the LAL method.
Target Details	

Target:	DLK1
Alternative Name:	DLK1 (DLK1 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7274477 | 01/18/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	Paternally inherited genetic defects of DLK1 were identified in four families with nonsyndromic CPP and a metabolic phenotype. DLK1 encodes a transmembrane protein that is important for adipose tissue homeostasis and neurogenesis and is located in the imprinted chromosome 14q32 region associated with Temple syndrome.
Molecular Weight:	30.9 kDa. Due to glycosylation, the protein migrates to 40-50 kDa based on Tris-Bis PAGE result.
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Format: Reconstitution:	Lyophilized Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water. Lyophilized from 0.22µm filtered solution in PBS ( pH 7.4). Normally 8 % trehalose is added as
Reconstitution: Buffer:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water. Lyophilized from 0.22µm filtered solution in PBS ( pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.

### Images



# Size-exclusion chromatography-High Pressure Liquid Chromatography

**Image 1.** The purity of Human DLK1 is greater than 95 % as determined by SEC-HPLC.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7274477 | 01/18/2024 | Copyright antibodies-online. All rights reserved.

140KD 115KD 80KD 70KD	MK	R
50KD 40KD		
30KD 25KD	=	
15KD	_	
10KD		

#### SDS-PAGE

**Image 2.** Human DLK1 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7274477 | 01/18/2024 | Copyright antibodies-online. All rights reserved.