antibodies

Datasheet for ABIN7274496 TNFRSF10B Protein (AA 56-182) (Fc Tag)





Overview


Quantity:	100 µg
Target:	TNFRSF10B
Protein Characteristics:	AA 56-182
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TNFRSF10B protein is labelled with Fc Tag.

Product Details

Purpose:	Human TRAIL R2/DR5/TNFRSF10B Protein
Sequence:	lle56-Glu182
Characteristics:	Recombinant Human TRAIL R2/DR5/TNFRSF10B Protein is expressed from HEK293 with hFc tag at the C-Terminus.It contains Ile56-Glu182.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per μ g by the LAL method.
Biological Activity Comment:	Immobilized Human TRAIL at 1µg/ml (100µl/well) on the plate. Dose response curve for Human TRAIL R2, hFc Tag with the EC50 of 20ng/ml determined by ELISA. See testing image for detail.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7274496 | 01/18/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Target:	TNFRSF10B
Alternative Name:	TRAIL R2 (TNFRSF10B Products)
Background:	DR5, also called TRAIL R2, TRICK 2, TNFRSF10B, and MK is a type 1 TNF R superfamily,
	membrane protein which is a receptor for TRAIL (APO2 ligand). DR5 is a receptor for the
	cytotoxic ligand TNFSF10/TRAIL. The adapter molecule FADD recruits caspase-8 to the
	activated receptor. The resulting death-inducing signaling complex (DISC) performs caspase-8
	proteolytic activation which initiates the subsequent cascade of caspases (aspartate-specific
	cysteine proteases) mediating apoptosis.
Molecular Weight:	41.1 kDa. Due to glycosylation, the protein migrates to 50-55 kDa based on Tris-Bis PAGE result.
Pathways:	p53 Signaling, Apoptosis, Positive Regulation of Endopeptidase Activity
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in 50 mM Tris, 100 mM NaCl (pH 7.5). Normally 8 %
	trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after
	reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into
	smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months




ELISA

Image 1. Immobilized Human TRAIL at $1 \mu g/mL$ (100 μ L/well) on the plate. Dose response curve for Human TRAIL R2, hFc Tag with the EC50 of 20 ng/mL determined by ELISA.

Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Human TRAIL R2 is greater than 95 % as determined by SEC-HPLC.



SDS-PAGE

Image 3. Human TRAIL R2 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7274496 | 01/18/2024 | Copyright antibodies-online. All rights reserved.