
# antibodies .- online.com







### Ephrin A3 Protein (EFNA3) (AA 23-213) (Fc Tag)

**Images** 



#### Overview

Quantity:	100 μg
Target:	Ephrin A3 (EFNA3)
Protein Characteristics:	AA 23-213
Origin:	Human, Cynomolgus
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Ephrin A3 protein is labelled with Fc Tag.

#### **Product Details**


Purpose:	Human/Cynomolgus Ephrin-A3/EFNA3 Protein
Sequence:	Gln23-Ser213
Characteristics:	Recombinant Human/Cynomolgus Ephrin-A3/EFNA3 Protein is expressed from HEK293 with hFc tag at the C-Terminus.It contains Gln23-Ser213.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per μg by the LAL method.

#### **Target Details**

Target:	Ephrin A3 (EFNA3)
Alternative Name:	EFNA3 (EFNA3 Products)


#### **Target Details**

rarger betane	
Background:	Interaction of Eph receptor tyrosine kinases with their membrane bound ephrin ligands initiates bidirectional signaling events that regulate cell migratory and adhesive behavior. Whole-mount in situ hybridization revealed overlapping expression of the Epha1 receptor and its high-affinity ligands ephrin A1 (Efna1) and ephrin A3 (Efna3) in the primitive streak and the posterior paraxial mesoderm during early mouse development.
Molecular Weight:	41.8 kDa. Due to glycosylation, the protein migrates to 60-70 kDa based on Tris-Bis PAGE result.
Pathways:	RTK Signaling
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



#### **SDS-PAGE**

Image 1. Human EFNA3 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



## Size-exclusion chromatography-High Pressure Liquid Chromatography

**Image 2.** The purity of Human EFNA3 is greater than 95 % as determined by SEC-HPLC.