antibodies -online.com







EFNA4 Protein (AA 26-171) (His tag)

Images



Overview

Quantity:	100 μg
Target:	EFNA4
Protein Characteristics:	AA 26-171
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This EFNA4 protein is labelled with His tag.

Product Details

Purpose:	Human Ephrin-A4/EFNA4 Protein
Sequence:	Leu26-Gly171
Characteristics:	Recombinant Human Ephrin-A4/EFNA4 Protein is expressed from HEK293 with His tag at the C-Terminus.It contains Leu26-Gly171.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

Target Details


Target:	EFNA4
Alternative Name:	Ephrin-A4 (EFNA4 Products)

Target Details

Expiry Date:


12 months

Ephrin A4 is one of the ephrin ligand molecules belonging to the tyrosine kinases receptor family. It was originally identified in a T-lymphoma cell line and seen to be expressed in human
adult tissue as well as several tumor types. The cytoplasmic pattern of ephrin A4 could identify a subgroup of primary osteosarcoma patients with a high liability for progression, poor prognosis, and inferior response to chemotherapy.
17.5 kDa. Due to glycosylation, the protein migrates to 18-25 kDa based on Tris-Bis PAGE resul
RTK Signaling
For Research Use only
Lyophilized
Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
-20 °C,-80 °C
-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into



SDS-PAGE

Image 1. Human Ephrin-A4 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Human Ephrin-A4 is greater than 95 % as determined by SEC-HPLC.