

Datasheet for ABIN7274547

EPH Receptor B2 Protein (EPHB2) (AA 19-542) (His tag)[Go to Product page](#)**3** Images

Overview

Quantity:	100 µg
Target:	EPH Receptor B2 (EPHB2)
Protein Characteristics:	AA 19-542
Origin:	Cynomolgus
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This EPH Receptor B2 protein is labelled with His tag.

Product Details

Purpose:	Cynomolgus EPHB2 Protein
Sequence:	Val19-Pro542
Characteristics:	Recombinant Cynomolgus EPHB2 Protein is expressed from HEK293 with His tag at the C-Terminus. It contains Val19-Pro542.
Purity:	> 95 % as determined by Tris-Bis PAGE, > 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Cynomolgus EPHB2, His Tag at 0.5µg/ml (100µl/Well) on the plate. Dose response curve for Anti-EPHB2 Antibody, hFc Tag with the EC50 of 8.3ng/ml determined by ELISA. See testing image for detail.

Target Details


Target:	EPH Receptor B2 (EPHB2)
Alternative Name:	EPHB2 (EPHB2 Products)
Background:	EphB2, a receptor tyrosine kinase for ephrin ligands, is overexpressed in various cancers and plays an important role in tumor progression. EPHB2 promotes endothelial-mesenchymal transition (EMT) and elicits associated pathologic characteristics of glioblastoma multiforme (GBM) such as invasion and migration. EPHB2 is epigenetically overexpressed in hypoxia, a condition highly prevalent in malignancy. Furthermore, HIF-2α is required for EPHB2 stabilization by hypoxia.
Molecular Weight:	59.09 kDa. Due to glycosylation, the protein migrates to 65-75 kDa based on Tris-Bis PAGE result.
UniProt:	A0A7N9CQH5
Pathways:	RTK Signaling , Regulation of long-term Neuronal Synaptic Plasticity , S100 Proteins

Application Details

Restrictions:	For Research Use only
---------------	-----------------------

Handling


Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



SDS-PAGE


Image 1. Cynomolgus EPHB2 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .

Cynomolgus EPHB2, His Tag ELISA
0.05µg Cynomolgus EPHB2, His Tag Per Well



ELISA

Image 2. Immobilized Cynomolgus EPHB2, His Tag at 0.5 µg/mL (100 µL/Well) on the plate. Dose response curve for Anti-EPHB2 Antibody, hFc Tag with the EC50 of 8.3 ng/mL determined by ELISA.



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 3. The purity of Cynomolgus EPHB2 is greater than 95 % as determined by SEC-HPLC.