antibodies - online.com







FGF21 Protein (AA 29-209) (mFc-Avi Tag,Biotin)





Overview


| Quantity: | 100 μg |
|-------------------------------|---|
| Target: | FGF21 |
| Protein Characteristics: | AA 29-209 |
| Origin: | Human |
| Source: | HEK-293 Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This FGF21 protein is labelled with mFc-Avi Tag,Biotin. |

Product Details

| Purpose: | Biotinylated Human FGF21 Protein |
|------------------------------|---|
| Sequence: | His29-Ser209 |
| Characteristics: | Recombinant Biotinylated Human FGF21 Protein is expressed from HEK293 with mFc (IgG1) tag and Avi tag at the N-Terminus.It contains His29-Ser209. |
| Purity: | > 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC |
| Sterility: | 0.22 μm filtered |
| Endotoxin Level: | Less than 1EU per μg by the LAL method. |
| Biological Activity Comment: | Immobilized Biotinylated Human FGF21, mFc Tag at 2µg/ml (100µl/well) on the streptavidin precoated plate (5µg/ml). Dose response curve for Human Beta Klotho, His Tag with the EC50 of 0.26µg/ml determined by ELISA. See testing image for detail. |


Target Details

| rarget Details | |
|---------------------|--|
| Target: | FGF21 |
| Alternative Name: | FGF21 (FGF21 Products) |
| Background: | Fibroblast growth factor 21 (FGF21) is a peptide hormone that is synthesized by several organs and regulates energy homeostasis. Excitement surrounding this relatively recently identified hormone is based on the documented metabolic beneficial effects of FGF21, which include weight loss and improved glycemia. |
| Molecular Weight: | 46.9 kDa. Due to glycosylation, the protein migrates to 55-65 kDa based on Tris-Bis PAGE result |
| UniProt: | Q9NSA1 |
| Pathways: | RTK Signaling |
| Application Details | |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Lyophilized |
| Reconstitution: | Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water. |
| Buffer: | Lyophilized from $0.22\mu m$ filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization. |
| Storage: | -20 °C,-80 °C |
| Storage Comment: | -20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles. |
| Expiry Date: | 12 months |



SDS-PAGE


Image 1. Biotinylated Human FGF21 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 %.



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Biotinylated Human FGF21 is greater than 95 % as determined by SEC-HPLC.

Biotinylated Human FGF21, mFc Tag ELISA 0.2µg Biotinylated Human FGF21, mFc Tag Per Well



ELISA

Image 3. Immobilized Biotinylated Human FGF21, mFc Tag at 2 μ g/mL (100 μ L/well) on the streptavidin precoated plate (5 μ g/mL). Dose response curve for Human Beta Klotho, His Tag with the EC50 of 0.26 μ g/mL determined by ELISA.