
antibodies - online.com







GUCY2C Protein (AA 24-430) (His-Avi Tag, Biotin)





Overview


Quantity:	100 μg
Target:	GUCY2C
Protein Characteristics:	AA 24-430
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This GUCY2C protein is labelled with His-Avi Tag,Biotin.

Product Details

Purpose:	Biotinylated Human GUCY2C/Guanylyl cyclase C Protein
Sequence:	Ser24-Gln430
Characteristics:	Recombinant Biotinylated Human GUCY2C/Guanylyl cyclase C Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus.It contains Ser24-Gln430.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Anti-GUCY2C Antibody at 1µg/ml (100µl/well) on the plate. Dose response curve
	for Biotinylated Human GUCY2C, His Tag with the EC50 of 24.1ng/ml determined by ELISA. See
	testing image for detail.


Target Details

Target:	GUCY2C
Alternative Name:	GUCY2C (GUCY2C Products)
Background:	Guanylyl cyclase C (GUCY2C) has canonical centrality in defense of key intestinal homeostatic mechanisms, encompassing fluid and electrolyte balance, epithelial dynamics, antitumorigenesis, and intestinal barrier function. GUCY2C may represent a new target for anti-obesity pharmacotherapy.
Molecular Weight:	48.8 kDa. Due to glycosylation, the protein migrates to 55-65 kDa based on Tris-Bis PAGE result.
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



Size-exclusion chromatography-High Pressure Liquid Chromatography


Image 1. The purity of Biotinylated Human GUCY2C is greater than 95 % as determined by SEC-HPLC.



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Biotinylated Human GUCY2C is greater than 95 % as determined by SEC-HPLC.

Biotinylated Human GUCY2C, His Tag ELISA 0.1µg Anti-GUCY2C Antibody, hFc Tag Per Well



ELISA

Image 3. Immobilized Anti-GUCY2C Antibody at $1 \mu g/mL$ (100 $\mu L/well$) on the plate. Dose response curve for Biotinylated Human GUCY2C, His Tag with the EC50 of 24.1 ng/mL determined by ELISA.

Please check the product details page for more images. Overall 4 images are available for ABIN7274717.