antibodies -online.com





GDF15 Protein (AA 197-308) (Fc Tag, Biotin)





Go to Product page

Overview

Quantity:	100 μg
Target:	GDF15
Protein Characteristics:	AA 197-308
Origin:	Cynomolgus
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This GDF15 protein is labelled with Fc Tag,Biotin.

Product Details


Purpose:	Biotinylated Cynomolgus GDF15 Protein (Primary Amine Labeling)
Sequence:	Ala197-Val308
Characteristics:	Recombinant Biotinylated Cynomolgus GDF15 Protein (Primary Amine Labeling) is expressed from HEK293 with hFc tag at the N-Terminus.It contains Ala197-Val308.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Cynomolgus GFRAL, His Tag at 1µg/ml (100µl/Well) on the plate. Dose response curve for Biotinylated Cynomolgus GDF15, hFc Tag with the EC50 of 4.8ng/ml determined by ELISA. See testing image for detail.

Target Details

- Target Details		
Target:	GDF15	
Alternative Name:	GDF15 (GDF15 Products)	
Background:	Growth and differentiation factor 15 (GDF15) is an inflammation-associated hormone with poorly defined biology. Here, we investigated the role of GDF15 in bacterial and viral infections. Inflammation induced GDF15, and that GDF15 was necessary for surviving both bacterial and viral infections, as well as sepsis. The protective effects of GDF15 were largely independent of pathogen control or the magnitude of inflammatory response, suggesting a role in disease tolerance.	
Molecular Weight:	37.9 kDa. Due to glycosylation, the protein migrates to 40-50 kDa based on Tris-Bis PAGE result.	
UniProt:	G7PWZ3	
Pathways:	SARS-CoV-2 Protein Interactome	
Application Details		
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.	
Buffer:	Lyophilized from $0.22\mu m$ filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.	
Storage:	-20 °C,-80 °C	
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.	
Expiry Date:	12 months	

Biotinylated Cynomolgus GDF15, hFc Tag ELISA

0.1µg Cynomolgus GFRAL, His Tag Per Well



Log Biotinylated Cynomolgus GDF15, hFc Tag Conc.(µg/ml)

ELISA


Image 1. Immobilized Cynomolgus GFRAL, His Tag at 1 μ g/mL (100 μ L/Well) on the plate. Dose response curve for Biotinylated Cynomolgus GDF15, hFc Tag with the EC50 of 4.8 ng/mL determined by ELISA.

MK R 140KD 115KD 80KD 70KD 50KD 40KD 30KD 25KD 15KD

SDS-PAGE

Image 2. Biotinylated Cynomolgus GDF15 on Tris-Bis PAGE under reduced condition. The purity is greater than $95\,\%$.

Biotinylated Cynomolgus GDF15, hFc Tag ELISA 0.2μg Cynomolgus GFRAL, His Tag Per Well



Log Biotinylated Cynomolgus GDF15, hFc Tag Conc.(μ g/ml)

ELISA

Image 3. Immobilized Cynomolgus GFRAL, His Tag at 2μ g/mL (100 μ L/Well) on the plate. Dose response curve for Biotinylated Cynomolgus GDF15, hFc Tag with the EC50 of 8.6 ng/mL determined by ELISA.

Please check the product details page for more images. Overall 4 images are available for ABIN7274720.