



[Go to Product page](#)

Datasheet for ABIN7274726

## GDF15 Protein (AA 197-308) (Fc Tag,Biotin)

### 3 Images

#### Overview

Quantity:	100 µg
Target:	GDF15
Protein Characteristics:	AA 197-308
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This GDF15 protein is labelled with Fc Tag,Biotin.

#### Product Details

Purpose:	Biotinylated Human GDF15 Protein (Primary Amine Labeling)
Sequence:	Ala197-Ile308
Characteristics:	Recombinant Biotinylated Human GDF15 Protein (Primary Amine Labeling) is expressed from HEK293 with hFc tag at the N-Terminus.It contains Ala197-Ile308.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Human GFRAL, His Tag at 0.5µg/ml (100µl/Well) on the plate. Dose response curve for Biotinylated Human GDF15, hFc Tag with the EC50 of 6.5ng/ml determined by ELISA. See testing image for detail.

## Target Details

---

Target:	GDF15
Alternative Name:	GDF15 ( <a href="#">GDF15 Products</a> )
Background:	Growth and differentiation factor 15 (GDF15) is an inflammation-associated hormone with poorly defined biology. Here, we investigated the role of GDF15 in bacterial and viral infections. Inflammation induced GDF15, and that GDF15 was necessary for surviving both bacterial and viral infections, as well as sepsis. The protective effects of GDF15 were largely independent of pathogen control or the magnitude of inflammatory response, suggesting a role in disease tolerance.
Molecular Weight:	37.9 kDa. Due to glycosylation, the protein migrates to 40-50 kDa based on Tris-Bis PAGE result.
UniProt:	<a href="#">Q99988</a>
Pathways:	<a href="#">SARS-CoV-2 Protein Interactome</a>

## Application Details


---

Restrictions:	For Research Use only
---------------	-----------------------

## Handling

---

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS ( pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months




**Size-exclusion chromatography-High Pressure Liquid Chromatography**

**Image 1.** The purity of Biotinylated Human GDF15 is greater than 95 % as determined by SEC-HPLC.

**Biotinylated Human GDF15, hFc Tag ELISA**


0.05µg Biotinylated Human GFRAL, His Tag Per Well



Log Biotinylated Human GDF15, hFc Tag Conc.(µg/ml)

**Biotinylated Human GDF15, hFc Tag ELISA**

0.05µg Human GFRAL, His Tag Per Well



Log Biotinylated Human GDF15, hFc Tag Conc.(µg/ml)

**ELISA**

**Image 2.** Immobilized Biotinylated Human GFRAL, His Tag at 0.5 µg/mL (100 µL/Well) on the plate. Dose response curve for Biotinylated Human GDF15, hFc Tag with the EC50 of 6.5 ng/mL determined by ELISA.

**ELISA**

**Image 3.** Immobilized Human GFRAL, His Tag at 0.5 µg/mL (100 µL/Well) on the plate. Dose response curve for Biotinylated Human GDF15, hFc Tag with the EC50 of 6.5 ng/mL determined by ELISA.