antibodies -online.com





GIP Protein (AA 22-85) (Fc Tag)

2 Images



Go to Product page

Overview

Quantity:	100 μg
Target:	GIP
Protein Characteristics:	AA 22-85
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This GIP protein is labelled with Fc Tag.

Product Details


Purpose:	Mouse GIP Protein
Sequence:	Glu22-Gln85
Characteristics:	Recombinant Mouse GIP Protein is expressed from HEK293 with hFc tag at the C-Terminus.It contains Glu22-Gln85.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

Target Details

Target:	GIP
Alternative Name:	GIP (GIP Products)


Target Details

rarget betano	
Background:	The potential application of glucose-dependent insulinotropic polypeptide (gastric inhibitory polypeptide, GIP) in the management of obesity and type 2 diabetes has been controversial. Initial interest in the therapeutic use of GIP was dampened by evidence that its insulinotropic activity was reduced in type 2 diabetes and by reports that it increased glucagon secretion and adipose deposition in non-diabetic individuals.
Molecular Weight:	34.3 kDa. Due to glycosylation, the protein migrates to 40-45 kDa based on Tris-Bis PAGE result.
UniProt:	P48756
Pathways:	Positive Regulation of Peptide Hormone Secretion, Peptide Hormone Metabolism, Hormone Activity, Regulation of Lipid Metabolism by PPARalpha, Lipid Metabolism
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



SDS-PAGE

Image 1. Mouse GIP on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Mouse GIP is greater than 95 % as determined by SEC-HPLC.