# antibodies -online.com







### HGFA Protein (AA 34-650) (His tag)

**Images** 



$\sim$			
	IV/E	۱//۱۲	$I \cap V$

Quantity:	100 μg
Target:	HGFA
Protein Characteristics:	AA 34-650
Origin:	Cynomolgus
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This HGFA protein is labelled with His tag.

#### **Product Details**


Purpose:	Cynomolgus HGFA Protein (pro form)
Sequence:	Gln34-Ser650
Characteristics:	Recombinant Cynomolgus HGFA Protein (pro form) is expressed from HEK293 with His tag at the C-Terminus.It contains Gln34-Ser650.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

#### **Target Details**

Target:	HGFA
Alternative Name:	HGFA (HGFA Products)


#### **Target Details**

•		
Background:	Hepatocyte growth factor activator (HGFA) is a serine protease initially identified as a potent activator of hepatocyte growth factor/scatter factor. Hepatocyte growth factor/scatter factor is known to be critically involved in tissue morphogenesis, regeneration, and tumor progression, via its receptor, MET.In vivo, HGFA also activates macrophage-stimulating protein, which has roles in macrophage recruitment and inflammatory processes, cellular survival and wound healing through its receptor, RON.	
Molecular Weight:	67.47 kDa. Due to glycosylation, the protein migrates to 80-100 kDa based on Tris-Bis PAGE result.	
UniProt:	A0A2K5TZH3	
Application Details		
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is recommended. Dissolve the lyophilized protein in distilled water.	
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.	
Storage:	-20 °C,-80 °C	
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.	
Expiry Date:	12 months	



#### **SDS-PAGE**

**Image 1.** Cynomolgus HGFA (pro form) on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



## Size-exclusion chromatography-High Pressure Liquid Chromatography

**Image 2.** The purity of Cynomolgus HGFA (pro form) is greater than 95 % as determined by SEC-HPLC.