



[Go to Product page](#)

Datasheet for ABIN7274809

HGFA Protein (AA 36-655) (His tag)

2 Images

Overview

Quantity:	100 µg
Target:	HGFA
Protein Characteristics:	AA 36-655
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This HGFA protein is labelled with His tag.

Product Details

Purpose:	Human HGFA Protein (pro form)
Sequence:	Gln36-Ser655
Characteristics:	Recombinant Human HGFA Protein (pro form) is expressed from HEK293 with His tag at the C-Terminus. It contains Gln36-Ser655.
Purity:	> 95 % as determined by Tris-Bis PAGE, > 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

Target Details

Target:	HGFA
Alternative Name:	HGFA (HGFA Products)

Target Details

Background: Hepatocyte growth factor activator (HGFA) is a serine protease initially identified as a potent activator of hepatocyte growth factor/scatter factor. Hepatocyte growth factor/scatter factor is known to be critically involved in tissue morphogenesis, regeneration, and tumor progression, via its receptor, MET. In vivo, HGFA also activates macrophage-stimulating protein, which has roles in macrophage recruitment and inflammatory processes, cellular survival and wound healing through its receptor, RON.

Molecular Weight: 67.2 kDa. Due to glycosylation, the protein (pro form) migrates to 85-100 kDa based on Tris-Bis PAGE result.

UniProt: [Q04756](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Lyophilized


Reconstitution: Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.

Buffer: Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.

Storage: -20 °C,-80 °C


Storage Comment: -20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Expiry Date: 12 months



SDS-PAGE

Image 1. Human HGFA (pro form) on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Human HGFA (pro form) is greater than 95 % as determined by SEC-HPLC.