# antibodies .- online.com







## IFNA Protein (His-Avi Tag)



### **Images**



#### Overview

Quantity:	100 μg
Target:	IFNA
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IFNA protein is labelled with His-Avi Tag.

#### **Product Details**

Sequence:	Lys28-Lys436
Purity:	> 95% as determined by Tris-Bis PAGE,> 95% as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Human IFNAR1, His Tag at $1\mu g/ml$ ( $100\mu l/Well$ ) on the plate. Dose response curve for Anti-IFNAR1 Antibody, hFc Tag with the EC50 of $0.12\mu g/ml$ determined by ELISA. The affinity constant of $0.12  \mu M$ as determined in SPR assay (Biacore T200). See testing image for detail.

#### **Target Details**


Target:	IFNA
Alternative Name:	IFN alpha (IFNA Products)
Background:	AVP, IFN-alpha/beta R1, IFN-alpha-REC, IFNAR, IFNAR1, IFN-aR1, IFNBR, IFNbR1, IFN-R-1,

Target Details	
	CRF2-1, IFRC,IFN-alpha / beta R1, also known as IFNAR1, belongs to the class II cytokine
	receptor family of proteins. Class II cytokine receptors form heterodimeric receptor complexes
	that mediate class II cytokine signals. Subunits of the different receptor complexes are shared
	and serve multiple functions. Functions in general as heterodimer with IFNAR2. Type I interferon
	binding activates the JAK-STAT signaling cascade, and triggers tyrosine phosphorylation of a
	number of proteins including JAKs, TYK2, STAT proteins and the IFNR alpha- and beta-subunits
	themselves.
Molecular Weight:	50.2 kDa. Due to glycosylation, the protein migrates to 74-95 kDa based on Tris-Bis PAGE result.
Pathways:	JAK-STAT Signaling, TLR Signaling, Hepatitis C, Inflammasome
Application Details	
Restrictions:	For Research Use only

Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge tubes before opening. Reconstituting to a concentration more than 100 µg/mL is recommended (usually we use 1 mg/mL solution for lyophilization). Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 5 % trehalose is added as protectant before lyophilization.
Storage:	4 °C,-80 °C
Storage Comment:	Reconstituted protein stable at -80°C for 12 months, 4°C for 1 week. Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
Expiry Date:	12 months

#### Human IFNAR1, His Tag ELISA

0.1µg Human IFNAR1, His Tag Per Well



MK

#### **ELISA**

**Image 1.** Immobilized Human IFNAR1, His Tag at 1  $\mu$ g/mL (100  $\mu$ L/Well) on the plate. Dose response curve for Anti-IFNAR1 Antibody, hFc Tag with the EC50 of 0.12  $\mu$ g/mL determined by ELISA.

#### 40KD 15KD 80KD 70KD

70KD 50KD 40KD 30KD 25KD

15KD

#### **SDS-PAGE**

**Image 2.** Human IFNAR1 on Tris-Bis PAGE under reduced conditions. The purity is greater than  $95\,\%$  .

# Size-exclusion chromatography-High Pressure Liquid Chromatography

**Image 3.** The purity of Human IFNAR1 is greater than  $95\,\%$  as determined by SEC-HPLC.

Please check the product details page for more images. Overall 5 images are available for ABIN7274849.