antibodies

Datasheet for ABIN7274904 IL1RAP Protein (AA 21-359) (His-Avi Tag)

3 Images



Overview

Quantity:	100 µg
Target:	IL1RAP
Protein Characteristics:	AA 21-359
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL1RAP protein is labelled with His-Avi Tag.


Product Details

Purpose:	Human IL-1R3/IL-1 RAcP Protein
Sequence:	Ser21-Glu359
Characteristics:	Recombinant Human IL-1R3/IL-1 RAcP Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus.It contains Ser21-Glu359.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per μ g by the LAL method.
Biological Activity Comment:	Immobilized Human IL-1R3 at 0.5µg/ml (100µl/Well) on the plate. Dose response curve for Anti- IL-1R3 Antibody, hFc Tag with the EC50 of 14.0ng/ml determined by ELISA. See testing image for detail.


Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7274904 | 01/18/2024 | Copyright antibodies-online. All rights reserved.

Target Details


Target:	IL1RAP
Alternative Name:	IL-1R3 (IL1RAP Products)
Background:	IL-1 Receptor Accessory Protein (IL-1 RAcP), also known as IL-1 R3, is a ubiquitously expressed 70-90 kDa member of the Interleukin-1 receptor family of proteins. It serves as a non-ligand- binding component of the receptors for IL-1 alpha, IL-1 beta, IL-33, and IL-36. IL-1 R3 is a coreceptor for IL1RL2 in the IL-36 signaling system. IL-1 R3 is a coreceptor with IL1R1 in the IL- 1 signaling system. Associates with IL1R1 bound to IL1B to form the high affinity interleukin-1 receptor complex which mediates interleukin-1-dependent activation of NF-kappa-B and other
	pathways.
Molecular Weight:	42 kDa. Due to glycosylation, the protein migrates to 52-70 kDa based on Tris-Bis PAGE result.
Pathways:	NF-kappaB Signaling, Growth Factor Binding
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



Human IL-1R3, His Tag ELISA 0.05µg Human IL-1R3, His Tag Per Well



Log Anti-IL-1R3 Antibody, hFc Tag Conc.(µg/ml)



SDS-PAGE

Image 1. Human IL-1R3 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .

ELISA

Image 2. Immobilized Human IL-1R3 at 0.5 μ g/mL (100 μ L/Well) on the plate. Dose response curve for Anti-IL-1R3 Antibody, hFc Tag with the EC50 of 14.0 ng/mL determined by ELISA.

Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 3. The purity of Human IL-1R3 is greater than 95 % as determined by SEC-HPLC.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7274904 | 01/18/2024 | Copyright antibodies-online. All rights reserved.