

Datasheet for ABIN7274977

**IL18BP Protein (AA 31-194) (His-Avi Tag,Biotin)****3** Images[Go to Product page](#)

## Overview

Quantity:	100 µg
Target:	IL18BP
Protein Characteristics:	AA 31-194
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL18BP protein is labelled with His-Avi Tag,Biotin.

## Product Details

Purpose:	Biotinylated Human IL-18BP Protein
Sequence:	Thr31-Gly194
Characteristics:	Recombinant Biotinylated Human IL-18BP Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus.It contains Thr31-Gly194.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Human IL-18 at 2µg/ml (100µl/well) on the plate. Dose response curve for Biotinylated Human IL-18BP, His Tag with the EC50 of 6.1ng/ml determined by ELISA. See testing image for detail.

## Target Details

Target:	IL18BP
Alternative Name:	IL-18BP ( <a href="#">IL18BP Products</a> )
Background:	Cytokines were the first modern immunotherapies to produce durable responses in patients with advanced cancer, components of the interleukin-18 (IL-18) pathway are upregulated on tumour-infiltrating lymphocytes, suggesting that IL-18 therapy could enhance anti-tumour immunity. IL-18BP, a high-affinity IL-18 decoy receptor, is frequently upregulated in diverse human and mouse tumours and limits the anti-tumour activity of IL-18 in mice.
Molecular Weight:	20.5 kDa. Due to glycosylation, the protein migrates to 52-65 kDa based on Tris-Bis PAGE result.


## Application Details

Restrictions:	For Research Use only
---------------	-----------------------

## Handling


Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS ( pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C, -80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months

**Biotinylated Human IL-18BP, His Tag ELISA**  
0.2µg Human IL-18, No Tag Per Well




**ELISA**

**Image 1.** Immobilized Human IL-18 at 2 µg/mL (100 µL/well) on the plate. Dose response curve for Biotinylated Human IL-18BP, His Tag with the EC50 of 6.1 ng/mL determined by ELISA.



**Size-exclusion chromatography-High Pressure Liquid Chromatography**

**Image 2.** The purity of Biotinylated Human IL-18BP is greater than 95 % as determined by SEC-HPLC.



**SDS-PAGE**

**Image 3.** Biotinylated Human IL-18BP on Tris-Bis PAGE under reduced condition. The purity is greater than 95 %.