# antibodies -online.com





## IL22 Receptor alpha 1 Protein (AA 16-228) (Fc Tag)



#### **Images**



#### Overview

Quantity:	100 μg
Target:	IL22 Receptor alpha 1 (IL22RA1)
Protein Characteristics:	AA 16-228
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL22 Receptor alpha 1 protein is labelled with Fc Tag.

#### **Product Details**

Purpose:	Human IL-22R alpha 1 Protein
Sequence:	His16-Thr228
Characteristics:	Recombinant Human IL-22R alpha 1 Protein is expressed from HEK293 with hFc tag at the C-Terminus.It contains His16-Thr228.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 μm filtered
Endotoxin Level:	Less than 1EU per μg by the LAL method.
Biological Activity Comment:	Immobilized Human IL-22, His Tag at 2µg/ml (100µl/Well) on the plate. Dose response curve
	for Human IL-22R alpha 1, hFc Tag with the EC50 of 10.2ng/ml determined by ELISA. See
	testing image for detail.

#### **Target Details**

Target:	IL22 Receptor alpha 1 (IL22RA1)
Alternative Name:	IL-22R alpha 1 (IL22RA1 Products)
Background:	Interleukin (IL)-22 is a member of the IL-10 family of cytokines and represents an important effector molecule of activated Th22, Th1, and Th17 cells, as well as Tc-cell subsets, gammadelta T cells, natural killer (NK), and NKT cells. IL-22 mediates its effects via a heterodimeric transmembrane receptor complex consisting of IL-22R1 and IL-10R2 and subsequent Janus kinase-signal transducers and activators of transcription (JAK-STAT) signaling pathways including Jak1, Tyk2, and STAT3.
Molecular Weight:	51 kDa. Due to glycosylation, the protein migrates to 60-68 kDa based on Tris-Bis PAGE result.
UniProt:	Q8N6P7


### Application Details

Restrictions: For Research Use only

#### Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from $0.22\mu m$ filtered solution in PBS ( pH $7.4$ ). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months


# Human IL-22R alpha 1, hFc Tag ELISA 0.05µg Human IL-22R alpha 1, hFc Tag Per Well



#### **ELISA**


**Image 1.** Immobilized Human IL-22R alpha 1, hFc Tag at  $0.5 \,\mu\text{g/mL}$  (100  $\mu\text{L/well}$ ) on the plate. Dose response curve for Biotinylated Anti-IL-22R alpha 1 Antibody, hFc Tag with the EC50 of 11.2 ng/mL determined by ELISA.

# Human IL-22R alpha 1, hFc Tag ELISA 0.2µg Human IL-22, His Tag Per Well



#### **ELISA**

**Image 2.** Immobilized Human IL-22, His Tag at  $2 \mu g/mL$  (100  $\mu L/Well$ ) on the plate. Dose response curve for Human IL-22R alpha 1, hFc Tag with the EC50 of  $38.7 \, ng/mL$  determined by ELISA.



# Size-exclusion chromatography-High Pressure Liquid Chromatography

**Image 3.** The purity of Human IL-22R alpha 1 is greater than 95 % as determined by SEC-HPLC.

Please check the product details page for more images. Overall 5 images are available for ABIN7275022.