

Datasheet for ABIN7275030
IL31RA Protein (AA 20-519) (Fc Tag)

5 Images

[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	IL31RA
Protein Characteristics:	AA 20-519
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL31RA protein is labelled with Fc Tag.

Product Details

Purpose:	Human IL-31 RA Protein
Sequence:	Ala20-Glu519
Characteristics:	Recombinant Human IL-31 RA Protein is expressed from HEK293 with hFc tag at the C-Terminus. It contains Ala20-Glu519.
Purity:	> 95 % as determined by Tris-Bis PAGE, > 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Human IL-31, His Tag at 5µg/ml (100µl/Well) on the plate. Dose response curve for Human IL-31 RA, hFc Tag with the EC50 of 1.2µg/ml determined by ELISA. The affinity constant of 1.5nM as determined in SPR assay (Biacore T200). See testing image for detail.

Target Details

Target:	IL31RA
Alternative Name:	IL-31 RA (IL31RA Products)
Background:	Interleukin-31 receptor A (IL-31RA) is a newly identified type I cytokine receptor, that is related to gp130, the common receptor of the interleukin (IL) -6 family cytokines. IL-31RA forms a functional receptor complex for IL-31 together with the beta subunit of oncostatin M receptor (OSMRbeta). OSMRbeta is expressed in a subset of small-sized nociceptive neurons of adult dorsal root ganglia (DRGs).IL-31 and OSM may thus have redundant functions in the development of OSMRbeta-expressing neurons.
Molecular Weight:	83.8 kDa. Due to glycosylation, the protein migrates to 110-135 kDa based on Tris-Bis PAGE result.


Application Details

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months


Human IL-31 RA, hFc Tag ELISA
0.5µg Human IL-31 RA, hFc Tag Per Well



ELISA


Image 1. Immobilized Human IL-31 RA, hFc Tag at 5 µg/mL (100 µL/well) on the plate. Dose response curve for Biotinylated Anti-IL-31 RA Antibody, hFc Tag with the EC50 of 16.9 ng/mL determined by ELISA.

Human IL-31 RA, hFc Tag ELISA
0.5µg Human IL-31, His Tag Per Well



ELISA

Image 2. Immobilized Human IL-31, His Tag at 5 µg/mL (100 µL/Well) on the plate. Dose response curve for Human IL-31 RA, hFc Tag with the EC50 of 1.2 µg/mL determined by ELISA.



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 3. The purity of Human IL-31 RA is greater than 95 % as determined by SEC-HPLC.

Please check the [product details page](#) for more images. Overall 5 images are available for ABIN7275030.