



Datasheet for ABIN7275078

ITGAV/ITGB8 Protein (AA 31-993) (His tag)



[Go to Product page](#)

3 Images

Overview

Quantity:	100 µg
Target:	ITGAV/ITGB8
Protein Characteristics:	AA 31-993
Origin:	Rhesus Monkey
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ITGAV/ITGB8 protein is labelled with His tag.

Product Details

Purpose:	Rhesus macaque Integrin alpha V beta 8 (ITGAV & ITGB8) Heterodimer Protein
Sequence:	Phe31-Pro993 (ITGAV) acidic tail & Glu43-Ser681 (ITGB8) basic tail
Specificity:	Uni-Prot: F6QSK2 (ITGAV), F7F3K9 (ITGB8)
Characteristics:	Recombinant Rhesus macaque Integrin alpha V beta 8 (ITGAV & ITGB8) Heterodimer Protein is expressed from HEK293 with His tag at the C-Terminus. It contains Phe31-Pro993(ITGAV) acidic tail & Glu43-Ser681(ITGB8) basic tail.
Purity:	> 95 % as determined by Tris-Bis PAGE, > 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Rhesus macaque ITGAV&ITGB8, His Tag at 2µg/ml (100µl/well) on the plate. Dose response curve for Anti-alpha-v Antibody , hFc Tag with the EC50 of 56ng/ml determined by

Product Details

ELISA. See testing image for detail.

Target Details


Target:	ITGAV/ITGB8
Alternative Name:	Integrin alpha V beta 8 (ITGAV & ITGB8) Heterodimer (ITGAV/ITGB8 Products)
Background:	Deletions of the genes encoding the integrin $\alpha V\beta 8$ (Itgav, Itgb8) have been shown to result in abnormal vascular development in the CNS, including prenatal and perinatal hemorrhage. Other work has indicated that a major function of this integrin in vivo is to promote TGF β activation.
Molecular Weight:	112.1 kDa (ITGAV)&75.3 kDa (ITGB8). Due to glycosylation, the protein migrates to 90-140 kDa based on Tris-Bis PAGE result.
UniProt:	F6QSK2

Application Details

Restrictions: For Research Use only

Handling


Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu\text{g/mL}$ is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22 μm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



Size-exclusion chromatography-High Pressure Liquid Chromatography


Image 1. The purity of Rhesus macaque ITGAV&ITGB8 is greater than 95 % as determined by SEC-HPLC.

Rhesus macaque ITGAV&ITGB8, His Tag ELISA
0.2µg Rhesus macaque ITGAV&ITGB8, His Tag Per Well



ELISA

Image 2. Immobilized Rhesus macaque ITGAV&ITGB8, His Tag at 2 µg/mL (100 µL/well) on the plate. Dose response curve for Anti-alpha-v Antibody , hFc Tag with the EC50 of 56 ng/mL determined by ELISA.



SDS-PAGE

Image 3. Rhesus macaque ITGAV&ITGB8 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .