



[Go to Product page](#)

Datasheet for ABIN7275105

KREMEN2 Protein (AA 26-364) (His tag)

2 Images

Overview

Quantity:	100 µg
Target:	KREMEN2
Protein Characteristics:	AA 26-364
Origin:	Cynomolgus
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This KREMEN2 protein is labelled with His tag.

Product Details

Purpose:	Cynomolgus Kremen-2 Protein
Sequence:	Gly26-Ala364
Characteristics:	Recombinant Cynomolgus Kremen-2 Protein is expressed from HEK293 with His tag at the C-Terminus. It contains Gly26-Ala364.
Purity:	> 95 % as determined by Tris-Bis PAGE
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Cynomolgus Kremen-2, His Tag at 0.2µg/ml (100µl/well) on the plate. Dose response curve for Anti-Kremen-2 Antibody, hFc Tag with the EC50 of 7.1ng/ml determined by ELISA. See testing image for detail.

Target Details

Target:	KREMEN2
Alternative Name:	Kremen-2 (KREMEN2 Products)
Background:	Kremen2 (Krm2) plays an important role in embryonic development, bone formation, and tumorigenesis as a crucial regulator of classical Wnt/ β -catenin signaling pathway. Compared to para-cancerous tissues, Krm2 was significantly up-regulated in gastric cancer tissues and was positively correlated with the pathological grade of gastric cancer patients. Krm2 can be a potent candidate for designing of targeted therapy.
Molecular Weight:	37.04 kDa. Due to glycosylation, the protein migrates to 50-65 kDa based on Tris-Bis PAGE result.
NCBI Accession:	XP_005591068
Pathways:	WNT Signaling



Application Details

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22 μ m filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months

Cynomolgus Kremen-2, His Tag ELISA
0.02µg Cynomolgus Kremen-2, His Tag Per Well



ELISA

Image 1. Immobilized Cynomolgus Kremen-2, His Tag at 0.2 µg/mL (100 µL/well) on the plate. Dose response curve for Anti-Kremen-2 Antibody, hFc Tag with the EC50 of 7.1 ng/mL determined by ELISA.

SDS-PAGE

Image 2. Cynomolgus Kremen-2 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .