

Datasheet for ABIN7275137

**SARS-CoV-2 Spike S1 Protein (C.37 - Lambda) (His tag)**[Go to Product page](#)**3** Images

## Overview

Quantity:	100 µg
Target:	SARS-CoV-2 Spike S1
Protein Characteristics:	C.37 - Lambda
Origin:	SARS Coronavirus-2 (SARS-CoV-2)
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SARS-CoV-2 Spike S1 protein is labelled with His tag.

## Product Details

Purpose:	SARS-CoV-2 Spike S1 (Lambda C.37) Protein
Sequence:	Gln14-Arg683 (G75V, T76I, R246N, 247-253 del, L452Q, F490S, D614G)
Characteristics:	Recombinant SARS-CoV-2 Spike S1 (Lambda C.37) Protein is expressed from HEK293 with His tag at the C-Terminus. It contains Gln14-Arg683(G75V, T76I, R246N, 247-253 del, L452Q, F490S, D614G).
Purity:	> 95 % as determined by Tris-Bis PAGE, > 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized SARS-CoV-2 Spike S1 (Lambda C.37) , His Tag at 2µg/ml (100µl/well) on the plate. Dose response curve for Human ACE2, hFc Tag with the EC50 of 21.8ng/ml determined by ELISA. See testing image for detail.

## Target Details

---

Target:	SARS-CoV-2 Spike S1
Abstract:	<a href="#">SARS-CoV-2 Spike S1 Products</a>
Target Type:	Viral Protein
Background:	The spike protein (S) of coronavirus (CoV) attaches the virus to its cellular receptor, angiotensin-converting enzyme 2 (ACE2). A defined receptor-binding domain (RBD) on S mediates this interaction. The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.
Molecular Weight:	75.28 kDa. Due to glycosylation, the protein migrates to 100-120 kDa based on Tris-Bis PAGE result.

## Application Details


---

Restrictions:	For Research Use only
---------------	-----------------------

## Handling

---

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS ( pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months




### SDS-PAGE

**Image 1.** SARS-CoV-2 Spike S1 (Lambda C.37) on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .


### SARS-CoV-2 Spike S1 (Lambda C.37), His Tag ELISA

0.2µg SARS-CoV-2 Spike S1 (Lambda C.37), His Tag Per Well



### ELISA

**Image 2.** Immobilized SARS-CoV-2 Spike S1 (Lambda C.37) , His Tag at 2 µg/mL (100 µL/well) on the plate. Dose response curve for Human ACE2, hFc Tag with the EC50 of 21.8 ng/mL determined by ELISA.



### Size-exclusion chromatography-High Pressure Liquid Chromatography

**Image 3.** The purity of SARS-CoV-2 Spike S1 (Lambda C.37) is greater than 95 % as determined by SEC-HPLC.