

Datasheet for ABIN7275160

LILRB1 Protein (AA 41-474) (His tag)**3** Images[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	LILRB1
Protein Characteristics:	AA 41-474
Origin:	Cynomolgus
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This LILRB1 protein is labelled with His tag.

Product Details

Purpose:	Cynomolgus LILRB1/CD85j/ILT2 Protein
Sequence:	Gly41-His474
Characteristics:	Recombinant Cynomolgus LILRB1/CD85j/ILT2 Protein is expressed from HEK293 with His tag at the C-Terminus. It contains Gly41-His474.
Purity:	> 95 % as determined by Tris-Bis PAGE, > 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	The affinity constant of 5.86 µM as determined in SPR assay (Biacore T200). See testing image for detail.

Target Details


Target:	LILRB1
Alternative Name:	LILRB1 (LILRB1 Products)
Background:	LILRB1, also known as CD85j and ILT2, is a 110 kDa transmembrane glycoprotein in the LILR immunoregulatory protein family. Mature human LILRB1 consists of a 438 amino acid (aa) extracellular domain (ECD) with 4 tandem Ig-like domains, a 21 aa transmembrane segment, and a 168 aa cytoplasmic domain with 4 inhibitory ITIM motifs. LILRB1 is a receptor for class I MHC antigens. Recognizes a broad spectrum of HLA-A, HLA-B, HLA-C, HLA-G and HLA-F alleles. Receptor for H301/UL18, a human cytomegalovirus class I MHC homolog. Ligand binding results in inhibitory signals and down-regulation of the immune response.
Molecular Weight:	48.19 kDa. Due to glycosylation, the protein migrates to 60-80 kDa based on Tris-Bis PAGE result.
NCBI Accession:	XP_045236898
Pathways:	Cellular Response to Molecule of Bacterial Origin , Regulation of Leukocyte Mediated Immunity , Positive Regulation of Immune Effector Process , Production of Molecular Mediator of Immune Response

Application Details

Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months


Surface Plasmon Resonance

Image 1. Anti-LILRB1 Antibody, hFc Tag captured on CM5 Chip via Protein A can bind Cynomolgus LILRB1, His Tag with an affinity constant of 5.86 μ M as determined in SPR assay (Biacore T200).



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Cynomolgus LILRB1 is greater than 95 % as determined by SEC-HPLC.



SDS-PAGE

Image 3. Cynomolgus LILRB1 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .

