antibodies -online.com





LILRB4 Protein (AA 22-256) (Fc Tag)



Images



Go to Product pag

()	ve	K\ /		A .
	\cup	1 V/	-	V۷

Quantity:	100 μg
Target:	LILRB4
Protein Characteristics:	AA 22-256
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This LILRB4 protein is labelled with Fc Tag.


Product Details

Purpose:	Human LILRB4/CD85k/ILT3 Protein
Sequence:	Gln22-Arg256
Characteristics:	Recombinant Human LILRB4/CD85k/ILT3 Protein is expressed from HEK293 with hFc tag at the C-Terminus.It contains Gln22-Arg256.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Human LILRB4, hFc Tag at 0.2µg/ml (100µl/well) on the plate. Dose response curve for Biotinylated Anti-LILRB4 Antibody, hFc Tag with the EC50 of 16.7ng/ml determined by ELISA. The affinity constant of 115.9 nM as determined in SPR assay (Biacore T200). See testing image for detail.

Target Details


9		
Target:	LILRB4	
Alternative Name:	LILRB4 (LILRB4 Products)	
Background:	LILRB4,also known as CD85k and LIR-5, ILT3, is an approximately 60 kDa transmembrane	
	glycoprotein that negatively regulates immune cell activation. Mature human ILT3 consists of a	
	238 amino acid (aa) extracellular domain with two Ig-like domains, a 21 aa transmembrane	
	segment, and a 168 aa cytoplasmic domain with 3 immunoreceptor tyrosine-based inhibitory	
	motifs (ITIM).LILRB4 is receptor for class I MHC antigens. Recognizes a broad spectrum of	
	HLA-A, HLA-B, HLA-C and HLA-G alleles.	
Molecular Weight:	52.6 kDa. Due to glycosylation, the protein migrates to 60-68 kDa based on Tris-Bis PAGE result.	
Application Details		
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is	
	recommended. Dissolve the lyophilized protein in distilled water.	
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as	
	protectant before lyophilization.	
Storage:	-20 °C,-80 °C	
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after	
	reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into	
	smaller quantities for optimal storage. Please minimize freeze-thaw cycles.	
Expiry Date:	12 months	

Human LILRB4, hFc Tag ELISA 0.02µg Human LILRB4, hFc Tag Per Well




ELISA

Image 1. Immobilized Human LILRB4, hFc Tag at $0.2 \,\mu\text{g/mL}$ (100 $\,\mu\text{L/well}$) on the plate. Dose response curve for Biotinylated Anti-LILRB4 Antibody, hFc Tag with the EC50 of 16.7 ng/mL determined by ELISA.



SDS-PAGE

Image 2. Human LILRB4 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 %.



Surface Plasmon Resonance

Image 3. Human LILRB4, hFc Tag captured on CM5 Chip via Protein A can bind Human APOE, His Tag with an affinity constant of 115.9 nM as determined in SPR assay (Biacore T200).

Please check the product details page for more images. Overall 5 images are available for ABIN7275170.