

Datasheet for ABIN7275242

MERTK Protein (AA 21-505) (His tag)[Go to Product page](#)**2** Images

Overview

Quantity:	100 µg
Target:	MERTK
Protein Characteristics:	AA 21-505
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MERTK protein is labelled with His tag.

Product Details

Purpose:	Human MERTK/Mer Protein
Sequence:	Ala21-Ile505
Characteristics:	Recombinant Human MERTK/Mer Protein is expressed from HEK293 with His tag at the C-Terminus. It contains Ala21-Ile505.
Purity:	> 95 % as determined by Tris-Bis PAGE, > 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

Target Details

Target:	MERTK
Alternative Name:	MERTK (MERTK Products)

Target Details


Background:	MER tyrosine kinase (MERTK) encodes a surface receptor localized at the apical membrane of the retinal pigment epithelium. It plays a critical role in photoreceptor outer segment internalization prior to phagocytosis. Mutations in MERTK have been associated with severe autosomal recessive retinal dystrophies in the RCS rat and in humans.
Molecular Weight:	53.73 kDa. Due to glycosylation, the protein migrates to 95-115 kDa based on Tris-Bis PAGE result.
Pathways:	RTK Signaling

Application Details

Restrictions:	For Research Use only
---------------	-----------------------


Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



SDS-PAGE

Image 1. Human MERTK on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Human MERTK is greater than 95 % as determined by SEC-HPLC.