antibodies

Datasheet for ABIN7275308 PVRL1 Protein (AA 31-334) (His-Avi Tag,Biotin)





Overview

Quantity:	100 µg
Target:	PVRL1
Protein Characteristics:	AA 31-334
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PVRL1 protein is labelled with His-Avi Tag,Biotin.

Product Details


Purpose:	Biotinylated Human Nectin-1/PVRL1/CD111 Protein
Sequence:	Gln31-Thr334
Characteristics:	Recombinant Biotinylated Human Nectin-1/PVRL1/CD111 Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus.It contains Gln31-Thr334.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per μ g by the LAL method.
Biological Activity Comment:	The affinity constant of 22.83 nM as determined in SPR assay (Biacore T200). See testing image for detail.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7275308 | 01/18/2024 | Copyright antibodies-online. All rights reserved.

Target Details

Target:	PVRL1
Alternative Name:	Nectin-1 (PVRL1 Products)
Background:	Nectins are a small family of Ca -independent immunoglobulin (Ig)-like cell adhesion molecules (CAMs) that organize intercellular junctions. They are highly homologous to the human receptor for poliovirus, and as such have been alternately named poliovirus receptor-related proteins.Nectin-1 promotes cell-cell contacts by forming homophilic or heterophilic trans- dimers. Heterophilic interactions have been detected between Nectin-1 and Nectin-3 and between Nectin-1 and Nectin-4. Has some neurite outgrowth-promoting activity.
Molecular Weight:	36.9 kDa. Due to glycosylation, the protein migrates to 52-70 kDa based on Tris-Bis PAGE result.
Pathways:	Cell-Cell Junction Organization
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7275308 | 01/18/2024 | Copyright antibodies-online. All rights reserved.



MK R 140KD 115KD 80KD 50KD 40KD 30KD 25KD 15KD 10KD

Surface Plasmon Resonance

Image 1. Human Nectin-4, hFc Tag captured on CM5 Chip via Protein A can bind Biotinylated Human Nectin-1, His-Avi Tag with an affinity constant of 22.83 nM as determined in SPR assay (Biacore T200).

Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Biotinylated Human Nectin-1 is greater than 95 % as determined by SEC-HPLC.

SDS-PAGE

Image 3. Biotinylated Human Nectin-1 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7275308 | 01/18/2024 | Copyright antibodies-online. All rights reserved.