
antibodies - online.com







KLRC2 Protein (AA 98-231) (His-Avi Tag, Biotin)





_					
	W	0	rv	10	W

Quantity:	100 μg
Target:	KLRC2
Protein Characteristics:	AA 98-231
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This KLRC2 protein is labelled with His-Avi Tag,Biotin.

Product Details

Purpose:	Biotinylated Human NKG2C/CD159c Protein
Sequence:	Glu98-Leu231
Characteristics:	Recombinant Biotinylated Human NKG2C/CD159c Protein is expressed from HEK293 with His tag and Avi tag at the N-Terminus. It contains Glu98-Leu231.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per μg by the LAL method.

Target Details


Target:	KLRC2
Alternative Name:	NKG2C (KLRC2 Products)

Target Details

Expiry Date:


12 months

901 2 010110		
Background:	As a first line of defense, natural killer (NK) cells play a crucial role in the fight against infections. The presented study is the first of its kind that ascribes CD56dimCD16 NKG2C-expressing NK cells a crucial role in biasing adaptive immune responses upon influenza vaccination and suggests NKG2C as a potential biomarker in predicting pandemic influenza vaccine responsiveness.	
Molecular Weight:	15.3 kDa. Due to glycosylation, the protein migrates to 35-55 kDa based on Tris-Bis PAGE result	
UniProt:	P26717	
Application Details		
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.	
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.	
Storage:	-20 °C,-80 °C	
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.	



SDS-PAGE

Image 1. Biotinylated Human NKG2C on Tris-Bis PAGE under reduced condition. The purity is greater than $95\,\%$.



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Biotinylated Human NKG2C is greater than 95 % as determined by SEC-HPLC.